Author Index to Volume 39

Abel KM, O'Keane V, Sherwood RA, Murray RM. Plasma homovanillic acid profile at different phases of the ovulatory cycle in healthy women, 1039

Ablon JS. See Faraone SV

Abramovitz Schneider P. See Mason J

Adityanjee, Estrera AB. Successful treatment of tardive dystonia with clozapine, 1064-corr

Akiyoshi J, Isogawa K, Yamada K, Nagayama H, Fujii I. Effects of antidepressants on intracellular Cab^{2+} mobilization in CHO cells transfected with the human 5-HTb_{2Cb} receptors, 1000

Allilaire J-F. See Pezard L

Alpert M. See Serper MR

Al-Shabbout M. See Dahl RE

Altemus M. See Bastiani AM

Anderson G. See Chappell P

Ando K, Kripke DF. Light attenuation by the human eyelid, 22

Andreski P. See Breslau N

Anglin MD. See Compton PA

Aquino T. See Rumsey JM

Arango V, Underwood MD, Mann JJ. Fewer pigmented locus coeruleus neurons in suicide victims: preliminary results, 112

Aryan M. See Serby M

Assion H-J. See Sobanski T

Atack JR. Abnormal phosphatidylinositol (PI)-signalling in bipolar disorder, 462-corr (response)

Avissar S, Barki-Harrington L, Nechamkin Y, Roitman G, Schreiber G. Reduced β-adrenergic receptor-coupled Gs protein function and Gsα immunoreactivity in mononuclear leukocytes of patients with depression, 755

Babacan M. See Özcan ME

Baer L. See Keuthen NJ

Bailey J. See Coupland N

Ballenger JC. See Fossey MD

Bamas C. See Neumeister A

Banoğlu R. See Özcan ME

Barki-Harrington L. See Avissar S

Bastiani AM. See McConaha C

Bastiani AM, Altemus M, Pigott TA, Rubenstein C, Weltzin TE, Kaye WH. Comparison of obsessions and compulsions in patients with anorexia nervosa and obsessive compulsive disorder, 966

Battersby M. See Clark CR

Beal MF. See Vécsei L

Bekaroğlu M. See Değer O

Bellodi L. See Locatelli M

Belmaker RH. See Patishi Y

Bemelmans KJ, Goekoop JG, van Kempen GMJ. Recall performance in acutely depressed patients and plasma cortisol, 750

Ben-Aryeh H, Jungerman T, Szargel R, Klein E, Laufer D. Salivary flow-rate and composition in schizophrenic patients on clozapine: subjective reports and laboratory data, 946

Bentham P. See McKay AP

Benzer A. See Miller C

Berg LM. See Strassman RJ

Berger M. See Riemann D

Berman KF. See Van Horn JD

Bersudsky Y. See Patishi Y

Biber B. See Tunca Z

Bickel R. See Kathmann N

Biederman J. See Faraone SV

Bierer LM. See Gabriel SM

Biggins CA
See Fein G
See Vinogradov S

Birmaher B. See Dahl RE

Birmaher B, Dahl RE, Perel J, Williamson DE, Nelson B, Stull S, Kaufman J, Waterman GS, Rao U, Nguyen N, Puig-Antich J, Ryan ND. Corticotropin-releasing hormone challenge in prepubertal major depression, 267

Bissette G
See Chappell P
See Fossey MD

Blake ME. See Petty F

Blennow K. See Heilig M

Bliwise DL. See Woodward SH

Blumensohn R. See Toren P

Bonnet K. See Boutros N

Borkovec TD. See Thayer JF

Born J. See Pietrowsky R

Boutros N, Bonnet K, Mak T. Drug abuse: a significant variable in schizophrenia research, 1053

Bovier P. See Karege F

Bowden CL. See Petty F

Braff DL. See Butler RW

Brauer LH, de Wit H. Subjective responses to *d*-amphetamine alone and after pimozide pretreatment in normal, healthy volunteers, 26

Breslau N, Roth T, Rosenthal L, Andreski P. Sleep disturbance and psychiatric disorders: a longitudinal epidemiological study of young adults, 411

Bridger WH
Race, IQ, and genetics, 909-corr (response)
See Weller E

Brown HD. See Keuthen NJ

Buitelaar JK. See Willemsen-Swinkels SHN

Bulik CM, Sullivan PF, Lawson RH, Carter FA. Salivary reactivity in women with bulimia nervosa across treatment, 1009

© 1996 Society of Biological Psychiatry

0006-3223/96/$15.00
PII S0006-3223(96)00189-5

Bunney WE Jr. See Hetrick WP
Butler RW, Mueser KT, Sprock J, Braff DL. Positive symptoms of psychosis in posttraumatic stress disorder, 839
Byerley W
See Coon H
See Myles-Worsley M

Calabrese JR. See Petty F
Callies A. See Marshall PS
Calloway E. Buprenorphine for depression: the un-adoptable orphan, 989-ed
Cannon DS. See Waller DA
Caplan R, Guthrie D, Komo S. Blink rate in children with attention-deficit–hyperactivity disorder, 1032
Carlström K. See Näsman B
Carlton P, Strawderman WE. Evaluating cumulated research: the inadequacy of traditional methods, 65
Carter FA. See Bulik CM
Casanova M. See Rumsey JM
Casanova MF. See Wyatt RJ
Castellanos FX, Fine EJ, Kaysen D, Marsh WL, Rapoport JL, Hallet M. Sensorimotor gating in boys with Tourette's syndrome and ADHD: preliminary results, 33
Castiglione CM. See Lu R-B
Chang F-M. See Lu R-B
Chang SS. See Gurrera RJ
Chappell P, Leckman J, Goodman W, Bissette G, Pauls D, Anderson G, Riddle M, Scahill L, McDougle C, Cohen D. Elevated cerebrospinal fluid corticotropin-releasing factor in Tourette's syndrome: comparison to obsessive compulsive disorder and normal controls, 776
Charney D. See Mason J
Chen Y-W, Dilsaver SC. Lifetime rates of suicide attempts among subjects with bipolar and unipolar disorders relative to subjects with other Axis I disorders, 896
Chicz-DeMet A. See DeMet EM
Cimilli C. See Tunca Z
Clark CR, McFarlane AC, Weber DL, Battersby M. Enlarged frontal P300 to stimulus change in panic disorder, 845
Clementz BA, Iacono WG, Grove WM. The construct validity of root-mean-square error for quantifying smooth-pursuit eye tracking abnormalities in schizophrenia, 448
Coakley D
See Lawlor BA
See Swanwick GRJ
Coen RF. See Swanwick GRJ
Cohen D. See Chappell P
Cohen L. See Grossman R
Cohen LS, Sichel DA, Faraone SV, Robertson LM, Dimmock JA, Rosenbaum JF. Course of panic disorder during pregnancy and the puerperium: a preliminary study, 950
Cohen RS. Adverse symptomatology and suicide associated with the use of methylenedioxymethamphetamine (MDMA; "Ecstasy"), 819
Coleman EA, Sackeim HA, Prudic J, Devanand DP, McElhiney MC, Moody BJ. Subjective memory complaints prior to and following electroconvulsive therapy, 346
Compton PA, Anglin MD, Khalsa-Denison ME, Paredes A. The D2 dopamine receptor gene, addiction, and personality: clinical correlates in cocaine abusers, 302
Coon H. See Myles-Worsley M
Coon H, Hoff M, Holik J, Hadley D, Fang N, Reimherr F, Wender P, Byerley W. Analysis of chromosome 18 DNA markers in multiplex pedigrees with manic depression, 689
Cooper R. See Konopka LM
Cooper TB. See Leiderman E
Cornblatt B. See Marshall PS
Coupland N, Malizia A, Bailey J, Nutt D. Thyrotropin-releasing hormone: a potential comparator for the panicogenic effects of pentagastrin and CCK?, 465-corr
Cowen PJ. See Delva NJ
Crayton JW. See Konopka LM
Cyr P. See Keuthen NJ

Dager SR, Swann AC. Advances in brain metabolism research: toward a moving picture of neural activity, 231-ed
Dahl RE. See Birmaher B
Dahl RE, Ryan ND, Matty MK, Birmaher B, Al-Shabbout M, Williamson DE, Kupfer DJ. Sleep onset abnormalities in depressed adolescents, 400
Dannals RF. See Holcomb HH
Daras M. See Papakostas Y
Davidson M
See Gabriel SM
See Putnam KM
Davis EZ. See Eckardt MJ
Davis JM. See Petty F
Davis K. See Weller E
Davis KL
See Gabriel SM
See Serby M
Deakin JFW. See Simpson MDC
de Belleroche J. See Hirsch SR
De Bruyn A, Souery D, Mendelbaum K, Mendlewicz J, Van Broeckhoven C. Linkage analysis of families with bipolar illness and chromosome 18 markers, 679
DeCaria C. See Grossman R
Değer O, Bekaroğlu M, Örem A, Örem S, Uluutku N, Soylu C. Polymorphonuclear (PMN) elastase levels in depressive disorders, 357
DeLeon J. See Verghese C
Delucchi GA. See Zelaschi NM
Delva NJ, Matthews DR, Cowen PJ. Brain serotonin (5-HT) neuroendocrine function in patients taking cholesterol-lowering drugs, 100
DeMet EM, Chicz-DeMet A. Seasonal patterns in platelet ligand binding are related to membrane proteins, 430
Demisch L. See Northoff G
Deng Z-L. See Ohara K
Dettling M. See Schmidt LG
Deutsch SI. See Schwartz BL
Devanand DP. See Coleman EA
DeVaughn N. See Rumsey JM
de Wit H. See Brauer LH
Di Biasi C. See Sabatini U
Dierks T. See Ihl R
Dilsaver SC. See Chen Y-W
Dimmock JA. See Cohen LS
Docherty NM, Grosh ES, Wexler BE. Affective reactivity of cognitive functioning and family history in schizophrenia, 59
Dor J. See Toren P
Dow BM, Kelsoe JR Jr, Gillin JC. Sleep and dreams in Vietnam PTSD and depression, 42
Duncan CC. See Oren DA
Dunner D. See Weller E

Ebert D, Ebmeier KP. The role of the cingulate gyrus in depression: from functional anatomy to neurochemistry, 1044
Ebmeier KP. See Ebert D

Eckardt MJ, Rohrbaugh JW, Stapleton JM, Davis EZ, Martin PR, Weingartner HJ. Attention-related brain potential and cognition in alcoholism-associated organic brain disorders, 143
Ehlers CL, Havstad JW, Kupfer DJ. Estimation of the time course of slow-wave sleep over the night in depressed patients: effects of clomipramine and clinical response, 171
Ehlers CL, Phillips E, Parry BL. Electrophysiological findings during the menstrual cycle in women with and without late luteal phase dysphoric disorder: relationship to risk for alcoholism?, 720
El Massioui F. See Pezard L
Emrich D. See Staedt J
Engel RR. See Kathmann N
Epstein JI, Keefe RSE, Roitman SL, Harvey PD, Mohs RC. Impact of neuroleptic medications on continuous performance test measures in schizophrenia, 902
Eriksson S. See Näsman B
Estrera AB. See Adityanjee

Fagerlund M. See Näsman B
Fang N. See Coon H
Faraone SV. See Cohen LS
Faraone SV, Biederman J, Mick E, Wozniak J, Kiely K, Guite J, Ablon JS, Warburton R, Reed E. Attention deficit hyperactivity disorder in a multigenerational pedigree, 906
Färber D. See Kuhs H
Fehm HL. See Pietrowsky R
Feighery C. See Lawlor BA
Feiler D. See Mason J
Fein G. See Vinogradov S
Fein G, Biggins C, MacKay S. Cocaine abusers have reduced auditory P50 amplitude and suppression compared to both normal controls and alcoholics, 955
Fidaner H. See Tunca Z
Fine EJ. See Castellanos FX
Fink M. Neuroleptic malignant syndrome and, catatonia: one entity or two?, 1-ed
Fischer-Colbrie R. See Miller C
Fleischhacker WW. See Miller C
Fossey MD, Lydiard RB, Ballenger JC, Laraia MT, Bissette G, Nemeroff CB. Cerebrospinal fluid corticotropin-releasing factor concentrations in patients with anxiety disorders and normal comparison subjects, 703
Fredrikson D. See Kopala LC
Freedman R. See Myles-Worsley M
Friedman BH. See Thayer JF
Friedman MJ. See Woodward SH
Fritsch-Montero R. See Riemann D
Frölich L. See Ihl R
Fujii I. See Akiyoshi J
Fujimoto T. See Fukuzako H
Fujita H. See Tomitaka S
Fukuzako H, Fukuzako T, Hashiguchi T, Hokazono Y, Takeuchi K, Hirakawa K, Ueyama K, Takigawa M, Kajiya Y, Nakajo M, Fujimoto T. Reduction in hippocampal formation volume caused mainly by its shortening in chronic schizophrenia: assessment by MRI, 938
Fukuzako T. See Fukuzako H

Gabriel SM, Davidson M, Haroutunian V, Powchik P, Bierer LM, Purohit DP, Perl DP, Davis KL. Neuropeptide deficits in schizophrenia vs. Alzheimer's disease cerebral cortex, 82
Gaillard J-M. See Karege F
Gardner R Jr. Psychiatry needs a basic science titled sociophysiology, 833-ed
Gastineau E. See Holcomb HH
George TP, Godleski LS. Possible serotonin syndrome with trazodone addition to fluoxetine, 384-corr
Gillin JC. See Dow BM
Godleski LS. See George TP
Goekoop JG
See Bemelmans KJ
See Hoeksma T
Goenjian A. See Pynoos RS
Goessler R. See Neumeister A
Goldman RS. See Himelhoch S
Good KP. See Kopala LC
Goodman W. See Chappell P
Gordon AG. Race, IQ, and genetics, 909-corr
Gordon B. See Holcomb HH
Gouzoulis-Mayfrank E. See Spitzer M
Graef K-J. See Schmidt LG
Grassi B. See Locatelli M
Greden J. See Weller E
Grochowski S. See Shelley A-M
Grosh ES. See Docherty NM
Gross-Isseroff R, Sasson Y, Voet H, Hendler T, Luca- Haimovici K, Kandel-Sussman H, Zohar J. Alternation learning in obsessive-compulsive disorder, 733
Grossman R, Cohen L, Rosen J, DeCaria C, Hollander E. Seasonal effects in prolactin response to m-chlorophenylpiperazine challenge in obsessive-compulsive disorder, 982
Grove WM. See Clementz BA
Gualdi GF. See Sabatini U
Guite J. See Faraone SV
Gullion C. See Waller DA
Gurrera RJ, Chang SS. Thermoregulatory dysfunction in neuroleptic malignant syndrome, 207
Guthrie D. See Caplan R

Hadley D. See Coon H
Hajak G. See Staedt J
Hallet M. See Castellanos FX
Halmi K. See Weller E
Hamburger SD. See Rumsey JM
Hameedi FA. See Kosten TR
Hardy BW. See Waller DA
Haroutunian V. See Gabriel SM
Harvey PD
See Epstein JI
See Putnam KM
Hashiguchi T. See Fukuzako H
Hatzinger M. See Seifritz E
Havstad JW. See Ehlers CL
Hawkes WC, Hornbostel L. Effects of dietary selenium on mood in healthy men living in a metabolic research unit, 121
Hay P. See Sachdev P
Heilig M, Månsson JE, Blennow K. Cerebrospinal fluid monoamine metabolites and atmospheric pressure, 299
Heimann H. See Spitzer M
Heinz A. See Schmidt LG
Hemmeter U. See Seifritz E
Hendler T. See Gross-Isseroff R
Hermle L. See Spitzer M
Hetrick WP, Sandman CA, Bunney WE Jr, Jin Y, Potkin SG, White MH. Gender differences in gating of the auditory evoked potential in normal subjects, 51
Himelhoch S, Taylor SF, Goldman RS, Tandon R. Frontal lobe tasks, antipsychotic medication, and schizophrenia syndromes, 227
Hirakawa K. See Fukuzako H
Hirsch SR, de Belleroche J. Neuropeptide deficits in schizophrenia vs. Alzheimer's disease cerebral cortex,

79-ed
Hodges JR. See McKay AP
Hoeksma T, Goekoop JG, Van Kempen GMJ. Hypertonic hemolysis in patients with a mood disorder, 11
Hoff M. See Coon H
Höflich G. See Sobanski T
Hohagen F. See Riemann D
Hokazono Y. See Fukuzako H
Holbery A. See McKay AP
Holcomb HH, Gordon B, Loats HL, Gastineau E, Zhao Z, Medoff D, Dannals RF, Woods R, Tamminga CA. Brain metabolism patterns are sensitive to attentional effort associated with a tone recognition task, 1013
Holik J. See Coon H
Hollander E. See Grossman R
Hollerer E. See Lenzinger E
Holsboer-Trachsler E. See Seifritz E
Holzmann P. See Spitzer M
Honer WG. See Kopala LC
Hornbostel L. See Hawkes WC
Hornik K. See Lenzinger E
Hosino H. See Nisijima K

Iacono WG. See Clementz BA
Ihl R, Dierks T, Martin E-M, Frölich L, Maurer K. Topography of the maximum of the amplitude of EEG frequency bands in dementia of the Alzheimer type, 319
Ishigaki T. See Ohara K
Ishiguro T. See Nisijima K
Isogawa K. See Akiyoshi J

Jansma CL. See Muldoon MF
Javitt DC
See Leiderman E
See Shelley A-M
Jenke MA. See Keuthen NJ
Jin Y. See Hetrick WP
Johansson A, Mowry B. Pilot study of hirsutism in women with psychiatric disorders, 149
Josiassen R. See Weller E
Jungerman T. See Ben-Aryeh H

Kajimura N, Kato M, Okuma T, Sekimoto M, Watanabe T, Takahashi K. Relationship between delta activity during all-night sleep and negative symptoms in schizophrenia: a preliminary study, 451
Kajiya Y. See Fukuzako H
Kandel-Sussman H. See Gross-Isseroff R
Kane JM. See Szymanski S
Kapitany T. See Neumeister A
Karege F, Bovier P, Rudolph W, Gaillard J-M. Platelet phosphoinositide signaling system: an overstimulated pathway in depression, 697
Karoum F. See Wyatt RJ
Kasper S
See Neumeister A
See Oren DA
Kathmann N, Soyka M, Bickel R, Engel RR. ERP changes in alcoholics with and without alcohol psychosis, 873
Kato M. See Kajimura N
Kaufman J. See Birmaher B
Kawamura N. See Maeda H
Kaya N. See Tunca Z
Kaye WH
See Bastiani AM
See McConaha C
Kaysen D. See Castellanos FX
Keck PE Jr. See West SA
Keefe RSE. See Epstein JI
Kelsoe JR Jr. See Dow BM
Keuthen NJ, Savage CR, O'Sullivan RL, Brown HD, Shera DM, Cyr P, Jenke MA, Baer L. Neuropsychological functioning in trichotillomania, 747
Khalsa-Denison ME. See Compton PA
Kidd JR. See Lu R-B
Kidd KK. See Lu R-B
Kiely K. See Faraone SV
Kimmel SE. See Petty F
Kincaid M. See Putnam KM
Kirchmair R. See Miller C
Kirkpatrick B. There's no such thing as the amygdala, 309-ed
Kischka U. See Spitzer M
Klein E. See Ben-Aryeh H
Kleinman J. See Weller E
Ko H-C. See Lu R-B
Kofman O. See Patishi Y
Kögler A. See Staedt J
Kojima I. See Tomitaka S, 220
Komo S. See Caplan R
Konopka LM, Cooper R, Crayton JW. Serotonin-induced increases in platelet cytosolic calcium concentration in depressed, schizophrenic, and substance abuse patients, 708
Kopala LC, Fredrikson D, Good KP, Honer WG. Symptoms in neuroleptic-naive, first-episode schizophrenia: response to risperidone, 296
Kosten TA. See Kosten TR
Kosten TR, Kosten TA, McDougle CJ, Hameedi FA, McCance EF, Rosen MI, Oliveto AH, Price LH. Gender differences in response to intranasal cocaine administration to humans, 147
Koudriavtseva T. See Sabatini U
Kovar K-A. See Spitzer M
Kramer GL. See Petty F
Krieger S. See Riemann D
Kripke DF. See Ando K
Kronig M. See Szymanski S
Kuhn S. See Schmidt LG
Kuhs H, Färber D, Tölle R. Serum prolactin, growth hormone, total corticoids, thyroid hormones, and thyrotropine during serial therapeutic sleep deprivation, 857
Kupfer DJ
See Dahl RE
See Ehlers CL

Lamberg-Allardt C. See Partonen T
Langer G. See Lenzinger E
Laor N. See Mason J
Laraia MT. See Fossey MD
Lauer CJ. See Seifritz E
Laufer D. See Ben-Aryeh H
Laux G. See Sobanski T
Lawlor BA. See Swanwick GRJ
Lawlor BA, Swanwick GRJ, Feighery C, Walsh JB, Coakley D. Acute phase reactants in Alzheimer's disease, 1051
Lawson RH. See Bulik CM
Leckman J. See Chappell P
Legros JJ. See Lenzinger E
Lenzi GL. See Sabatini U
Lieberman JA. See Shelley A-M
Leiderman E, Zylberman I, Zukin SR, Cooper TB, Javitt DC. Preliminary investigation of high-dose oral glycine on serum levels and negative symptoms in schizophrenia: an open-label trial, 213
Lenzinger E, Meszaros K, Hornik K, Parzer P, Hollerer E, Langer G, Resch F, Legros JJ. Correlation between vasopressin baseline and TSH-blunting in depressives, 341
Leslie WD. See Stein MB
Lis S. See Riemann D
Levendosky AA. See Oren DA
Lieberman J. See Szymanski S
Lim KO. See Sullivan EV

Loats HL. See Holcomb HH
Locatelli M, Bellodi L, Grassi B, Scarone S. EEG power modifications in obsessive-compulsive disorder during olfactory stimulation, 326
Lönnqvist J. See Partonen T
Lu R-B, Ko H-C, Chang F-M, Castiglione CM, Schoolfield G, Pakstis AJ, Kidd JR, Kidd KK. No association between alcoholism and multilple polymorphisms at the dopamine D2 receptor gene (DRD2) in three distinct Taiwanese populations, 419
Lubman DI. See Simpson MDC
Luca-Haimovici K. See Gross-Isseroff R
Lucht M. See Neumeister A
Lydiard RB. See Fossey MD

MacKay S. See Fein G
Maeda H, Morita K, Kawamura N, Nakazawa Y. Amplitude and area of the auditory P300 recorded with eyes open reflect remission of schizophrenia, 743
Mak T. See Boutros N
Malizia A. See Coupland N
Mallinger AG. See Soares JC
Malloy FW. See Small JG
Mann JJ
See Arango V
See Muldoon MF
Mannheim GB. See Rumsey JM
Månsson JE. See Heilig M
Manuck SB. See Muldoon MF
Markianos M. See Papakostas Y
Marsh WL. See Castellanos FX
Marshall PS, Watson D, Steinberg P, Cornblatt B, Peterson PK, Callies A, Schenck CH. An assessment of cognitive function and mood in chronic fatigue syndrome, 199
Martin E-M. See Ihl R
Martin P, Puech AJ. Antagonism by benzodiazepines of the effects of serotonin-, but not norepinephrine-, uptake blockers in the learned helplessness paradigm on rats, 882
Martin PR. See Eckardt MJ
Martinerie J. See Pezard L
Masiar S. See Szymanski S
Mason J, Weizman R, Laor N, Wang S, Schujovitsky A, Abramovitz-Schneider P, Feiler D, Charney D. Serum triiodothyronine elevation in Israeli combat veterans with posttraumatic stress disorder: a cross-cultural study, 835
Matthews DR. See Delva NJ
Matty MK. See Dahl RE
Maurer K. See Ihl R
Mayer G. See Staedt J
McCance EF. See Kosten TR
McConaha C, Bastiani AM, Kaye WH. Significant reduction of post–lumbar-puncture headaches by the use of a 29-gauge spinal needle, 1058
McConville BJ. See West SA
McDougle CJ
See Chappell P
See Kosten TR
McElhiney MC. See Coleman EA
McElroy SL. See West SA
McFarlane AC. See Clark CR
McKay AP, McKenna PJ, Bentham P, Mortimer AM, Holbery A, Hodges JR. Semantic memory is impaired in schizophrenia, 929
McKenna PJ. See McKay AP
Medoff D. See Holcomb HH
Meier T. See Riemann D
Meltzer HY. See Sajatovic M
Mendelbaum K. See De Bruyn A
Mendlewicz J. See De Bruyn A
Mester R. See Toren P
Meszaros K. See Lenzinger E
Mick E. See Faraone SV
Millefiorini E. See Sabatini U
Miller C, Kirchmair R, Troger J, Saria S, Fleischhacker WW, Fischer-Colbrie R, Benzer A, Winkler H. CSF of neuroleptic-naive first-episode schizophrenic patients: levels of biogenic amines, substance P, and peptides derived from chromogranin A (GE-25) and secretogranin II (secretoneurin), 911
Miller MJ
See Petty F
See Small JG
Milstein V. See Small JG
Miyasato K. See Ohara K
Moeller FG. See Waller DA
Mohan C. See Serby M
Mohs RC
See Epstein JI
See Serby M
Mölle M. See Pietrowsky R
Moody BJ. See Coleman EA
Moore AL. See Muldoon MF
Moore P. See Seifritz E
Morita K. See Maeda H
Mortimer AM. See McKay AP
Mowry B. See Johansson A
Mozes T. See Toren P
Mueser KT. See Butler RW
Muldoon MF, Manuck SB, Jansma CL, Moore AL, Perel J, Mann JJ. D,L-Fenfluramine challenge test: experience in nonpatient sample, 761
Müller M
See Pezard L
See Seifritz E
Munne R. See Szymanski S
Munz DL. See Staedt J
Murray RM. See Abel KM
Myles-Worsley M, Coon H, Byerley W, Waldo M, Young D, Freedman R. Developmental and genetic influences on the P50 sensory gating phenotype, 289

Nagayama H. See Akiyoshi J
Nair C. See Verghese C
Nakajo M. See Fukuzako H
Nakamura Y. See Ohara K
Nakazawa Y. See Maeda H
Nandrino J-L. See Pezard L
Našman B, Olsson T, Fagerlund M, Eriksson S, Viitanen M, Carlström K. Blunted adrenocorticotropin and increased adrenal steroid response to human corticotropin-releasing hormone in Alzheimer's disease, 311
Nechamkin Y. See Avissar S
Nelson B. See Birmaher B
Nemeroff CB. See Fossey MD
Neumeister A, Goessler R, Lucht M, Kapitany T, Bamas C, Kasper S. Bright light therapy stabilizes the antidepressant effect of partial sleep deprivation, 16
Ngan ETC, Vincent SR. Carbamazepine and L-type calcium channel inhibitors: a binding assay study, 979
Nguyen N. See Birmaher B
Nisijima K, Oyafuso K, Shimada T, Hosino H, Ishiguro T. Cerebrospinal fluid monoamine metabolism in a case of neuroleptic malignant syndrome improved by electroconvulsive therapy, 383-corr
Northoff G, Demisch L, Wenke J, Pflug B. Plasma homovanillic acid concentrations in catatonia, 436
Nutt D. See Coupland N

Ober BA. See Vinogradov S
Ohara K, Xie D-W, Ishigaki T, Deng Z-

L, Nakamura Y, Suzuki Y, Miyasato K, Ohara K. The genes encoding the $5HTb_{1D\alpha}$ and 5HTb1Dβ receptors are unchanged in patients with panic disorder, 5
Ohara K. See Ohara K
O'Keane V. See Abel KM
Okuma T. See Kajimura N
Olivera AA. A case of paroxetine-induced akathisia, 910-corr
Oliveto AH. See Kosten TR
Olsson T. See Näsman B
O'Mahoney D. See Swanwick GRJ
Örem A. See Değer O
Örem S. See Değer O
Oren DA, Levendosky AA, Kasper S, Duncan CC, Rosenthal NE. Circadian profiles of cortisol, prolactin, and thyrotropin in seasonal affective disorder, 157
Orsulak PJ
See Petty F
See Waller DA
O'Sullivan RL. See Keuthen NJ
Oyafuso K. See Nisijima K
Ozcan Özcan ME, Taşkin R, Banoğlu R, Babacan M, Tuncer E. HLA antigens in schizophrenia and mood disorders, 891
Özerdem A. See Tunca Z

Padovani A. See Sabatini U
Pakstis AJ. See Lu R-B
Pantano P. See Sabatini U
Papadimitriou GN. See Papakostas Y
Papakostas Y, Markianos M, Pehlivanidis A, Papadimitriou GN, Zervas IM, Daras M, Stefanis C. Effects of thyrotropin-releasing hormone administration on the electroconvulsive therapy induced prolactin responses and seizure time, 444
Paré WP. Enhanced retrieval of unpleasant memories influenced by shock controllability, shock sequence, and rat strain, 808
Paredes A. See Compton PA
Parrella M. See Putnam KM
Parry BL. See Ehlers CL
Partonen T, Vakkuri O, Lamberg-Allardt C, Lönnqvist J. Effects of bright light on sleepiness, melatonin, and 25-hydroxyvitamin Db3b in winter seasonal affective disorder, 865
Parzer P. See Lenzinger E
Patishi Y, Belmaker RH, Bersudsky Y, Kofman O. A comparison of the ability of *myo*-inositol and *epi*-inositol to attenuate lithium–pilocarpine seizures in rats, 829
Patronas N. See Rumsey JM
Pauls D. See Chappell P
Pehlivanidis A. See Papakostas Y
Perel J
See Birmaher B
See Muldoon MF
Perl DP. See Gabriel SM
Peterson PK. See Marshall PS
Petty F. See Waller DA
Petty F, Rush AJ, Davis JM, Calabrese JR, Kimmel SE, Kramer GL, Small JG, Miller MJ, Swann AE, Orsulak PJ, Blake ME, Bowden CL. Plasma GABA predicts acute response to divalproex in mania, 278
Pezard L, Nandrino J-L, Renault B, El Massioui F, Allilaire J-F, Müller J, Varela FJ, Martinerie J. Depression as a dynamic disease, 991
Pfefferbaum A. See Sullivan EV
Pflug B. See Northoff G
Phillips E. See Ehlers CL
Pietrowsky R, Strüben C, Mölle M, Fehm HL, Born J. Brain potential changes after intranasal vs. intravenous administration of vasopressin: evidence for a direct nose-brain pathway for peptide effects in humans, 332
Pigott TA. See Bastiani AM
Pilo L, Ring H, Quinn N, Trimble M. Depression in multiple system atrophy and in idiopathic Parkinson's disease: a pilot comparative study, 803
Podschus J. See Schmidt LG
Pollack S. See Szymanski S
Potkin SG. See Hetrick WP
Powchik P
See Gabriel SM
See Putnam KM
Pozzilli C. See Sabatini U
Price LH. See Kosten TR
Prisecaru I. See Pynoos RS
Prudic J. See Coleman EA
Puech AJ. See Martin P
Puig-Antich J. See Birmaher B
Purohit DP. See Gabriel SM
Putnam KM, Harvey PD, Parrella M, White L, Kincaid M, Powchik P, Davidson M. Symptom stability in geriatric chronic schizophrenic inpatients: a one-year follow-up study, 92
Pynoos RS, Ritzmann RF, Steinberg AM, Goenjian A, Prisecaru I. A behavioral animal model of posttraumatic stress disorder featuring repeated exposure to situational reminders, 129

Qualls CR. See Strassman RJ
Quinn N. See Pilo L

Rao U. See Birmaher B
Rapoport JL. See Castellanos FX
Reed E. See Faraone SV
Rehavi M. See Toren P
Reimherr F. See Coon H
Renault B. See Pezard L
Resch F. See Lenzinger E
Richelson E. See Weller E
Riddle M. See Chappell P
Riemann D, Lis S, Fritsch-Montero R, Meier T, Krieger S, Hohagen F, Berger M. Effect of tetrahydroaminoacridine on sleep in healthy subjects, 796
Riemann H. See Staedt J
Ring H. See Pilo L
Ritzmann RF. See Pynoos RS
Robertson LM. See Cohen LS
Rodenbeck A. See Staedt J
Rodríguez JL. See Zelaschi NM
Rohrbaugh JW. See Eckardt MJ
Roitman G. See Avissar S
Roitman SL. See Epstein JI
Rommelspacher H. See Schmidt LG
Rosen J. See Grossman R
Rosen MI. See Kosten TR
Rosenbaum JF. See Cohen LS
Rosenthal L. See Breslau N
Rosenthal NE. See Oren DA
Rosse RB. See Schwartz BL
Roth T. See Breslau N
Rowan M. See Swanwick GRJ
Roy A. HPA axis function and temperament in depression: a negative report, 364
Rubenstein C. See Bastiani AM
Rubin LS. Power to the cingulate, 464-corr
Rudolph W. See Karege F
Rumsey JM, Casanova M, Mannheim GB, Patronas N, DeVaughn N, Hamburger SD, Aquino T. Corpus callosum morphology, as measured with MRI, in dyslexic men, 769
Rush AJ
See Petty F
See Waller DA

Rush J. See Weller E
Rüther E. See Staedt J
Ryan ND
See Birmaher B
See Dahl RE

Sabatini U, Pozzilli C, Pantano P, Koudriavtseva T, Padovani A, Millefiorini E, Di Biasi C, Gualdi GF, Salvetti M, Lenzi GL. Involvement of the limbic system in multiple sclerosis patients with depressive disorders, 970
Sachdev P, Hay P. Site and size of lesion and psychosurgical outcome in obsessive-compulsive disorder: a magnetic resonance imaging study, 739
Sackeim HA. See Coleman EA
Safferman A. See Szymanski S
Sajatovic M, Meltzer HY. Clozapine-induced myoclonus and generalized seizures, 367
Sakamoto K. See Tomitaka S
Salvetti M. See Sabatini U
Sandman CA. See Hetrick WP
Sangal JM. See Sangal RB
Sangal RB, Sangal JM. Closed head injury patients with mild cognitive complaints without neurological or psychiatric findings have abnormal visual P300 latencies, 305
Saria S. See Miller C
Sasson Y. See Gross-Isseroff R
Savage CR. See Keuthen NJ
Sax KW. See West SA
Scahill L. See Chappell P
Scarone S. See Locatelli M
Schenck CH. See Marshall PS
Schmidt LG, Dettling M, Graef K-J, Heinz A, Kuhn S, Podschus J, Rommelspacher H. Reduced dopaminergic function in alcoholics is related to severe dependence, 193
Schneider F. See Spitzer M
Scholl H-P. See Sobanski T
Schoolfield G. See Lu R-B
Schreiber G. See Avissar S
Schujovitsky A. See Mason J
Schwartz BL, Rosse RB, Veazey C, Deutsch SI. Impaired motor skill learning in schizophrenia: implications for corticostriatal dysfunction, 241
Sekimoto M. See Kajimura N
Seifritz E, Müller M, Trachsel L, Lauer CJ, Hemmeter U, Hatzinger M, Moore P, Holsboer-Trachsler E. Revisiting the Ehlers and Kupfer hypothesis: the growth hormone cortisol secretion ratio during sleep is correlated with electroencephalographic slow wave activity in normal volunteers, 139
Serby M, Mohan C, Aryan M, Williams L, Mohs RC, Davis KL. Olfactory identification deficits in relatives of Alzheimer's disease patients, 375
Serper MR, Alpert M, Trujillo M. Recent cocaine use decreases negative signs in acute schizophrenia: a case study over two consecutive admissions, 816
Shaw NA. The effects of electroconvulsive shock on the collicular auditory potential, 223
Shear PK. See Sullivan EV
Sheinberg AL. See Waller DA
Shelley A-M, Grochowski S, Lieberman JA, Javitt DC. Premature disinhibition of P3 generation in schizophrenia, 714
Shenaut GK. See Vinogradov S
Shera DM. See Keuthen NJ
Sherwood RA. See Abel KM
Shimada T. See Nisijima K
Sichel DA. See Cohen LS, 950
Siever L. See Weller E
Simpson GM. See Verghese C
Simpson MDC, Lubman DI, Slater P, Deakin JFW. Autoradiography with ^{3}H8-OH-DPAT reveals increases in 5-HTb_{1Ab} receptors in ventral prefrontal cortex in schizophrenia, 919
Slater P. See Simpson MDC
Small JG. See Petty F
Small JG, Milstein V, Malloy FW, Miller MJ. Quantitative electroencephalograph frequencies and relative neuroleptic receptor affinities in schizophrenia, 986
Soares JC, Mallinger AG. Abnormal phosphatidylinositol (PI)-signalling in bipolar disorder, 461-corr
Sobanski T, Assion H-J, Scholl H-P, Höflich G, Laux G. Successful zidovudine (AZT) treatment in a case of human immunodeficiency virus (HIV)-1-associated dementia complex, 1065-corr
Solomon S. See Vinogradov S
Souery D. See De Bruyn A
Soyka M. See Kathmann N
Soylu C. See Değer O
Spitzer M, Thimm M, Hermle L, Holzmann P, Kovar K-A, Heimann H, Gouzoulis-Mayfrank E, Kischka U, Schneider F. Increased activation of indirect semantic associations under psilocybin, 1055
Sprock J. See Butler RW
Staedt J, Stoppe G, Kögler A, Riemann H, Hajak G, Rodenbeck A, Mayer G, Steinhoff BJ, Munz DL, Emrich D, Rüther E. ^{123}I IBZM SPET analysis of dopamine Db_{2b} receptor occupancy in narcoleptic patients in the course of treatment, 107
Stapleton JM. See Eckardt MJ
Stefanis C. See Papakostas Y
Stein MB, Leslie WD. A brain single photon-emission computed tomography (SPECT) study of generalized social phobia, 825
Steinberg AM. See Pynoos RS
Steinberg P. See Marshall PS
Steinhoff BJ. See Staedt J
Stoppe G. See Staedt J
Strakowski SM. See West SA
Strassman RJ, Qualls CR, Berg LM. Differential tolerance to biological and subjective effects of four closely spaced doses of N,N-dimethyltryptamine in humans, 784
Strawderman. See Carlton P
Strüben C. See Pietrowsky R
Stull S. See Birmaher B
Sullivan EV, Shear PK, Lim KO, Zipursky RB, Pfefferbaum A. Cognitive and motor impairments are related to gray matter volume deficits in schizophrenia, 234
Sullivan PF. See Bulik CM
Suzuki Y. See Ohara K
Swann AC. See Dager SR
Swann AE. See Petty F
Swanwick GRJ. See Lawlor BA
Swanwick GRJ, Coen RF, Walsh JB, Coakley D, Lawlor BA. The predictive value of hypothalamic–pituitary–adrenal axis dysfunction in Alzheimer's disease, 976
Swanwick GRJ, Rowan M, Coen RF, O'Mahoney D, Lawlor BA, Walsh JB, Coakley D. Longitudinal visual evoked potentials in Alzheimer's disease: a preliminary report, 455
Szargel R. See Ben-Aryeh H
Szymanski S, Lieberman J, Pollack S, Kane JM, Safferman A, Munne R, Umbricht D, Woerner M, Masiar S,

Kronig M. Gender differences in neuroleptic nonresponsive clozapine-treated schizophrenics, 249

Takahashi K. See Kajimura N
Takeuchi K. See Fukuzako H
Takigawa M. See Fukuzako H
Tamminga CA. See Holcomb HH
Tamura A. See Tomitaka S
Tandon R. See Himelhoch S
Tanriverdi N, Yazici KM. Immediate recurrence of psychotic symptoms after discontinuation of clozapine: a case report, 814
Taşkin R. See Özcan ME
Taylor SF. See Himelhoch S
Thayer JF, Friedman BH, Borkovec TD. Autonomic characteristics of generalized anxiety disorder and worry, 255
Thimm M. See Spitzer M
Tölle R. See Kuhs H
Tomitaka S, Sakamoto K, Tamura A, Kojima I, Fujita H. Dexamethasone suppression test by measuring spot urinary free cortisol in depression, 220
Toren P, Dor J, Mester R, Mozes T, Blumensohn R, Rehavi M, Weizman A. Depression in women treated with a gonadotropin-releasing hormone agonist, 378
Trachsel L. See Seifritz E
Trimble M. See Pilo L
Troger J. See Miller C
Trujillo M. See Serper MR
Tunca Z, Fidaner H, Cimilli C, Kaya N, Biber B, Yeşil S, Özerdem A. Is conversion disorder biologically related with depression?: a DST study, 216
Tuncer E. See Özcan ME

Ueyama K. See Fukuzako H
Uluutku N. See Değer O
Umbricht D. See Szymanski S
Underwood MD. See Arango V

Vakkuri O. See Partonen T
Van Broeckhoven C. See De Bruyn A
van Engeland H. See Willemsen-Swinkels SHN
Van Horn JD, Berman KF, Weinberger DR. Functional lateralization of the prefrontal cortex during traditional frontal lobe tasks, 389
Van Kempen GMJ
See Bemelmans KJ
See Hoeksma T
Varela FJ. See Pezard L
Veazey C. See Schwartz BL
Vécsei L, Beal MF. Huntington's disease, behavioral disturbances, and kynurenines: preclinical findings and therapeutic perspectives, 1061
Verghese C, DeLeon J, Nair C, Simpson GM. Clozapine withdrawal effects and receptor profiles of typical and atypical neuroleptics, 135
Viitanen M. See Näsman B
Vincent SR. See Ngan ETC
Vinogradov S, Solomon S, Ober BA, Biggins CA, Shenaut GK, Fein G. Do semantic priming effects correlate with sensory gating in schizophrenia?, 821
Voet H. See Gross-Isseroff R

Waldo M. See Myles-Worsley M
Waller DA, Sheinberg AL, Gullion C, Moeller FG, Cannon DS, Petty F, Hardy BW, Orsulak P, Rush AJ. Impulsivity and neuroendocrine response to buspirone in bulimia nervosa, 371
Walsh JB
See Lawlor BA
See Swanwick GRJ
Wang S. See Mason J
Warburton R. See Faraone SV
Watanabe T. See Kajimura N
Waterman GS. See Birmaher B
Watson D. See Marshall PS
Waziri R. Glycine therapy of schizophrenia: some caveats, 155-ed
Weber DL. See Clark CR
Weinberger DR. See Van Horn JD
Weingartner HJ. See Eckardt MJ
Weizman A. See Toren P
Weizman R. See Mason J
Weller E, Josiassen R, Bridger W, Dunner D, Davis K, Greden J, Halmi K, Siever L, Richelson E, Rush J, Kleinman J. Society of Biological Psychiatry Executive Council meeting May 17, 1995, 753
Weltzin TE. See Bastiani AM
Wender P. See Coon H
Wenke J. See Northoff G
West SA, Strakowski SM, Sax KW, McElroy SL, Keck PE Jr, McConville BJ. Phenomenology and comorbidity of adolescents hospitalized for the treatment of acute mania, 458
Wexler BE. See Docherty NM
White L. See Putnam KM
White MH. See Hetrick WP
Willemsen-Swinkels SHN, Buitelaar JK, van Engeland H. The effects of chronic naltrexone treatment in young autistic children: a double-blind placebo-controlled crossover study, 1023
Williams L. See Serby M
Williamson DE
See Birmaher B
See Dahl RE
Winkler H. See Miller C
Woerner M. See Szymanski S
Woods R. See Holcomb HH
Woodward SH, Friedman MJ, Bliwise DL. Sleep and depression in combat-related PTSD inpatients, 182
Wozniak J. See Faraone SV
Wyatt RJ, Karoum F, Casanova MF. Power to the cingulate, 464-corr (response)

Xie D-W. See Ohara K

Yamada K. See Akiyoshi J
Yatham LN. Prolactin and cortisol responses to fenfluramine challenge in mania, 285
Yazici KM. See Tanriverdi N
Yeregani VK. Effects of nortriptyline on yohimbine-induced changes in heart rate variability, 385-corr
Yeşil S. See Tunca Z
Young D. See Myles-Worsley M

Zelaschi NM, Delucchi GA, Rodríguez JL. High plasma prolactin levels after long-term neuroleptic treatment, 900
Zervas IM. See Papakostas Y
Zhao Z. See Holcomb HH
Zipursky RB. See Sullivan EV
Zohar J. See Gross-Isseroff R
Zukin SR. See Leiderman E
Zylberman I. See Leiderman E

Subject Index to Volume 39

Abstinence
  dopaminergic function in alcoholics and, 193
Acute phase reactants
  in Alzheimer's disease, 1051
Addiction
  cocaine and, 302
  dopaminergic function in alcoholics and, 193
Adolescents
  acutely manic, phenomenology and comorbidity of, 458
  depressed, sleep onset abnormalities in, 400
  P50 sensory gating phenotype and, 289
Adrenal steroids, CRH in Alzheimer's disease and, 311
Adrenocorticotropic hormone (ACTH)
  CRH in Alzheimer's disease and, 311
  N,N-dimethyltryptamine and, 784
  in prepubertal major depressive disorder, 267
Adults
  young, sleep disturbance and psychiatric disorders in, 411
A.E. Bennett Research Awards 1996, 75, 152
Affective disorders
  chronic fatigue syndrome and, 199
  clomipramine effects on time course of slow-wave sleep and, 171
Affective reactivity
  of cognitive functioning, in schizophrenia, 59
African Americans
  cocaine abuse among, 955
Age
  alternation learning in OCD and, 733
  corpus callosum morphology in dyslexic men and, 769
  CSF corticotropin-releasing factor concentrations in anxiety disorders and, 703
  fenfluramine challenge and, 761
  sleep disturbance and psychiatric disorders in young adults and, 411
  tetrahydroaminoacridine and, 796
Aggressive behavior
  behavioral animal model of PTSD and, 129
Agitation
  PTSD and, 839
Agranulocytosis
  clozapine and, 367
Agreeability
  dietary selenium effect on mood in healthy men and, 121
Akathisia
  paroxetine-induced, 910-corr
Alanine
  in panic disorder, 5
Alcoholism
  cocaine abuse and, 955
  dopaminergic function reduced in, 193
  and electrophysiological findings during menstrual cycle in women with and without late luteal phase disorder, 720
  ERP changes in, with and without alcohol, 873
  multiple polymorphisms at DRD2 locus and, 419
  organic brain disorders and, 143
Alleles
  dopaminergic function in alcoholics and, 193
α_2-adrenergic receptors
  platelet phosphoinositide signaling system in depression and, 697
  in suicide victims, 112
Alpha-2 power difference
  EEG, in OCD during olfactory stimulation, 326
Alternation learning task
  in obsessive-compulsive disorder, 733
Alzheimer's disease
  acute phase reactants in, 1051
  cerebral cortex, neuropeptide deficits in schizophrenia and, 79-ed, 82
  corticotropin-releasing hormone in, 311
  EEG amplitude in, 319
  HPA axis in, 311, 976
  longitudinal visual evoked potentials in, 455
  olfactory identification deficits in relatives of patients, 375
  semantic memory in schizophrenia and, 929
Amino acids
  in panic disorder, 5
Amitriptyline
  Ca^{2+} mobilization and, 1000
  serial therapeutic sleep deprivation and, 857
Amoxapine
  Ca^{2+} mobilization and, 1000
Amphetamine
  homovanillic acid concentrations in catatonia and, 436
d-Amphetamine

© 1996 Society of Biological Psychiatry

0006-3223/96/$15.00
PII S0006-3223(96)00190-9

pimozide pretreatment and, 26
Amplification
of genes for $5HT_{1D\alpha}$ and $5HT_{1D\beta}$ receptors in panic disorder, 5
Amplitudes
in boys with Tourette's syndrome and ADHD, 33
EEG, in dementia of Alzheimer type, 319
and gender differences in gating of AEP in normal subjects, 51
P3, electrophysiological findings during menstrual cycle in women with and without late luteal phase disorder, 720
P50, cocaine abuse and, 955
P300, event-related potentials in alcoholics and, 873
P300, in schizophrenia, 743
Amygdala
no such thing as, 309-ed
Analysis of variance (ANOVA)
CSF corticotropin-releasing factor concentrations in anxiety disorders and, 703
dopaminergic function in alcoholics and, 193
Androgens
in Alzheimer's disease, 311
in women with psychiatric disorders, 149
Androstenedione
in Alzheimer's disease, 311
Anhedonia
PTSD and, 839
Animal models
behavioral, PTSD and, 129
Anorexia nervosa
OCD and, 966
Anticholinergics
clozapine withdrawal phenomena and, 135
Antidepressants
blunted TSH response in depression and, 341
Ca^{2+} mobilization and, 1000
clomipramine effects on time course of slow-wave sleep and, 171
^{123}I IBZM SPET and, 107
light therapy after partial sleep deprivation and, 16
serial therapeutic sleep deprivation and, 857
tricyclic, see Tricyclic antidepressants
Anxiety
dreamstate, in Vietnam PTSD and depression, 42
elevated CSF corticotropin-releasing factor in Tourette's syndrome and, 776
enlarged prefrontal P300 in panic disorder and, 845
gender differences in intranasal cocaine administration and, 147
panic disorder and, 950
PTSD and, 839
salivation in women with bulimia nervosa and, 1009
Anxiety disorders
CSF corticotropin-releasing factor concentrations in, 703
Apomorphine
dopaminergic function in alcoholics and, 193
Area
of auditory P300 recorded with eyes open reflect remission of schizophrenia, 743
Arginine-vasopressin
direct nose-brain pathway for peptide effects and, 332
Arousal
children with ADHD and, 1032
Asparagine
in panic disorder, 5
Atmospheric pressure
CSF monoamine metabolites and, 299
Atrophy
cerebellar, dopaminergic function in alcoholics and, 193
hippocampal, in Alzheimer's disease, 311
multiple system, 803
temporal lobe, in Alzheimer's disease, 311
Attention
brain metabolism altered by task performance and, 1013
chronic fatigue syndrome and, 199
continuous performance test measures in schizophrenia and, 902
enlarged prefrontal P300 in panic disorder and, 845
Attentional effort
tone recognition task and, 1013
Attention deficit hyperactivity disorder (ADHD)
blink rate in children with, 1032
in multigenerational pedigree, 906
Attention-related brain potential
alcoholism-associated organic brain disorders and, 143
Attenuation
light, through eyelid, 22
Auditory conditioning–testing paradigm
and gender differences in gating of AEP in normal subjects, 51
Auditory evoked potentials (AEPs)
closed head injury patients with mild cognitive complaints and, 305
cocaine abuse and, 955
collicular, ECT effects on, 223
developmental and genetic influences on P50 sensory gating phenotype and, 289
enlarged prefrontal P300 in panic disorder and, 845
eyes open reflect remission of schizophrenia and, 743
gating of, gender differences in normal subjects, 51
Auditory modality
premature disinhibition of P3 generation in schizophrenia and, 714
Auditory oddball paradigm
event-related potentials in alcoholics and, 873
Auditory target detection task
enlarged prefrontal P300 in panic disorder and, 845
Autism
naltrexone for, 1023
Autobiographical memory
following ECT, 346
Autonomic nervous system
in generalized anxiety disorder, 255
Autoradiography

with ^{3}H8-OH-DPAT, in schizophrenia, 919
Awakenings
REM, in Vietnam PTSD and depression, 42
Axis I disorders
lifetime rates of suicide attempts in, 896

Basal ganglia
depression and, 803
Beck Depression Inventory
sleep and depression in PTSD and, 182
Benzodiazepines
learned helplessness paradigm and, 882
Beta frequency band activity
in Alzheimer-type dementia, 319
in OCD during olfactory stimulation, 326
β-adrenergic receptors
depression and, 755
in suicide victims, 112
Bidirectional abnormal behavioral pattern
behavioral animal model of PTSD and, 129
Biogenic amines
CSF of neuroleptic-naive first-episode schizophrenics and, 911
Bipolar disorder
and chromosome 18 markers, linkage analysis of families with, 679
divalproex for, 278
Gsα immunoreactivity protein in, 755
Gs protein in, 755
lifetime rates of suicide attempts in, 896
phosphatidylinositol signaling in, 461-corr, 462-corr (response)
Bisexuals
substance abuse among, 955
Blink reflex
in boys with Tourette's syndrome and ADHD, 33
children with ADHD and, 1032
Blood pressure
salivation in women with bulimia nervosa and, 1009
serotonin-induced increases in platelet cytosolic calcium concentration and, 708
Blue light
transmission of through human eyelid, 22
Blunting
TSH, in depression, 341
Body weight
fenfluramine challenge and, 761
Boys
with Tourette's syndrome and ADHD, 33
Brain
metabolism patterns, sensitive to attentional effort associated with tone recognition task, 1013
serotonin, neuroendocrine function and, 100
Brain metabolism research
advances in, 231-ed
Brain potentials
alcoholism-associated organic brain disorders and, 143
after intranasal vs. IV administration of vasopressin, 332
Brain topography
closed head injury patients with mild cognitive complaints and, 305
Breakpoints
and linkage analysis of families with bipolar illness and chromosome 18 markers, 679
Brief Cognitive Rating Scale
EEG amplitude in Alzheimer-type dementia and, 319
Bulimia nervosa
buspirone and, 371
salivary reactivity in women with, 1009
Buprenorphine
for depression, 989-ed
Buspirone
impulsivity and neuroendocrine response to in bulimia nervosa, 371

Ca^{2+} mobilization
antidepressants and, 1000
Calcium
cytosolic, serotonin-induced increases in platelet concentration of, 708
Calcium channel inhibitors
L-type, carbamazepine and, 979
Candidate gene
and linkage analysis of families with bipolar illness and chromosome 18 markers, 679
Canonical discriminant coefficient
standardized, dopaminergic function in alcoholics and, 193
Carbamazepine
L-type calcium channel inhibitors and, 979
Cardiac interbeat intervals
in generalized anxiety disorder, 255
Cardiorespiratory responses
in generalized anxiety disorder, 255
Catatonia
neuroleptic malignant syndrome and, 1
plasma homovanillic acid concentrations in, 436
Caucasians
substance abuse among, 955
Central nervous system (CNS)
gating in schizophrenia and, 51
^{123}I IBZM SPET and, 107
receptor affinities, in schizophrenia, 986
Cerebellum
atrophy, dopaminergic function in alcoholics and, 193
Cerebral blood flow
frontal lobe lateralization and, 389
in multiple sclerosis, 970
in schizophrenia, 80-ed
Cerebral cortex
in Alzheimer's disease, neuropeptide deficits in schizophrenia vs., 79-ed, 82
brain metabolism altered by task performance and, 1013
pigmented locus coeruleus neurons in suicide victims and, 112
Cerebral glucose utilization
brain metabolism altered by task performance and, 1013

Cerebrospinal fluid (CSF)
corticotropin-releasing factor, in anxiety disorders, 703
corticotropin-releasing factor, in Tourette's syndrome, 776
monoamine metabolism, in case of neuroleptic malignant syndrome improved by ECT, 383-corr
monoamine metabolites, atmospheric pressure and, 299
of neuroleptic-naive first-episode schizophrenics and, 911
Chaos
depression as dynamic disease and, 991
Children
ADHD in, 1032
autistic, naltrexone for, 1023
corticotropin-releasing hormone challenge in depressed, 267
P50 sensory gating phenotype and, 289
sensorimotor gating in boys with Tourette's syndrome and ADHD, 33
Chinese hamster ovary (CHO) cells
transfected with 5-HT_{2C} receptors, 1000
Chlorophenylpiperazine
Ca^{2+} mobilization and, 1000
m-Chlorophenylpiperazine (*m*CPP)
seasonal effects in prolactin response to in OCD, 982
Cholecystokinin (CCK)
in schizophrenia vs. Alzheimer's disease cerebral cortex, 79-ed, 82
TRH as comparator for panicogenic effects of CCK and, 464-corr
Cholesterol-lowering drugs
brain serotonin neuroendocrine function and, 100
Cholinergic neurotransmission
tetrahydroaminoacridine and, 796
Chromogranin A
CSF of neuroleptic-naive first-episode schizophrenics and, 911
Chromosome 18
linkage analysis of families with bipolar illness and, 679
linkage analysis of multiplex pedigrees with manic depression and, 689
Chronic fatigue syndrome (CFS)
cognitive function and mood in, 199
Cingulate gyrus
in depression, 1044
power to, 464-corr, 464-corr (response)
Cingulum
MRI in OCD and, 739
Circadian rhythms
of salivation, of schizophrenics on clozapine, 946
in seasonal affective disorder, 157
Click stimuli
cocaine abuse and, 955
and gender differences in gating of AEP in normal subjects, 51
P50 sensory gating phenotype and, 289
Clomipramine (CMI)
time course of slow-wave sleep in depression and, 171
Clozapine
immediate recurrence of psychotic symptoms after discontinuation of, 814
myoclonus and generalized seizures induced by, 367
withdrawal effects and, 135
for tardive dyskinesia, 1064-corr
Cocaine
D2 dopamine receptor gene and, 302
gender differences in intranasal administration of, 147
recent use of decreases negative symptoms in acute schizophrenia, 816
and reduced auditory P50 amplitude and suppression compared to alcoholics, 955
Cognitive-behavioral treatment
salivation in women with bulimia nervosa and, 1009
Cognitive function
alcoholism-associated organic brain disorders and, 143
in Alzheimer-type dementia, 319
in chronic fatigue syndrome, 199
closed head injury patients and, 305
event-related potentials in alcoholics and, 873
menstrual cycle in women with and without late luteal phase disorder and, 720
in schizophrenia, 59, 234, 714
Cognitive shift/set
alternation learning in OCD and, 733
Colliculus
inferior, ECT effect on auditory potential and, 223
Color balance
after passing, light attenuation by human eyelid and, 22
Complements
polymorphonuclear elastase levels in depression and, 357
Computer-assisted-mapping
pigmented locus coeruleus neurons in suicide victims and, 112
Concentration difficulties
fenfluramine challenge and, 761
Conditioning/testing ratio
cocaine abuse and, 955
Continuous performance test
in schizophrenia, 902
Conversation task
children with ADHD and, 1032
Conversion disorder
depression and, 216
Corticoids
total, serial therapeutic sleep deprivation and, 857
Corticostriatal dysfunction
in schizophrenia, 241
Corticotropin-releasing hormone (CRH)
in Alzheimer's disease, 311
in anxiety disorders, 703
in prepubertal major depression, 267
in schizophrenia vs. Alzheimer's disease cerebral cortex, 79-ed, 82
in Tourette's syndrome, 776
Cortisol
in Alzheimer's disease, 311
circadian rhythms of, in seasonal affective disorder, 157

correlation between vasopression baseline and TSH-blunting in depression and, 341
in depression, 364
N,N-dimethyltryptamine and, 784
Ehlers and Kupfer hypothesis and, 139
fenfluramine in mania and, 285
in prepubertal major depressive disorder, 267
recall performance correlated with in acute depression, 750
spot urinary free, in depression, 220
Cued visual continuous performance task
premature disinhibition of P3 generation in schizophrenia and, 714
Cue reactivity
salivation in women with bulimia nervosa and, 1009
Cumulated research
evaluating, 65
Cytosol
calcium concentration, serotonin-induced, 708

Decapeptyl
GnRH-a, 378
Declarative memory
in schizophrenia, 234
Decompensation
clozapine withdrawal phenomena and, 135
Dehydroepiandrosterone (DHEA)
in Alzheimer's disease, 311
Delayed Response Alternation Task
frontal lobe lateralization and, 389
Deletions
and linkage analysis of families with bipolar illness and chromosome 18 markers, 679
Delirium tremens (DTs)
event-related potentials in alcoholics and, 873
Delta-1 power difference
EEG, in OCD during olfactory stimulation, 326
Delta sleep
in depressed adolescents, 400
Delusional thoughts
PTSD and, 839
Dementia
Alzheimer type, EEG amplitudes in Alzheimer-type dementia and, 319
Dementia Rating Scale
schizophrenia and, 241
Dependence syndrome
dopaminergic function in alcoholics and, 193
Depression
brain serotonin neuroendocrine function in, 100
buprenorphine for, 989-ed
chronic fatigue syndrome and, 199
cingulate gyrus in, 1044
clomipramine effects on time course of slow-wave sleep in, 171
conversion disorder and, 216
dexamethasone suppression test in, 220
dietary selenium effect on, 121
as dynamic disease, 991
ECT effects on collicular auditory potential in, 223
electrophysiological findings during menstrual cycle in women with and without late luteal phase disorder, 720
elevated CSF corticotropin-releasing factor in Tourette's syndrome and, 776
enhanced retrieval of unpleasant memories and, 808
extraversion in, 364
generalized seizure activity in, 223
GnRH-a for in women, 378
Gsα immunoreactivity in, 755
guanine nucleotide binding in, 755
HLA antigens and, 891
hypertonic hemolysis in, 11
lifetime rates of suicide attempts in, 896
longitudinal epidemiological study of young adults and, 411
memory bias phenomenon in, 808
memory impairment in, 750
in multiple sclerosis, 970
in multiple system atrophy and idiopathic Parkinson's disease, 803
neurosis in, 364
partial sleep deprivation in, light therapy stabilizes, 16
platelet phosphoinositide signaling system in, 697
polymorphonuclear elastase levels in, 357
prolactin and cortisol responses to fenfluramine challenge in, 285
psychosis in, 364
PTSD and, 839
recall performance in correlated with plasma cortisol, 750
salivation in women with bulimia nervosa and, 1009
seasonal patterns in platelet ligand binding and, 430
serotonin-induced increases in platelet cytosolic calcium concentration and, 708
spot urinary free cortisol in, 220
subjective memory complaints prior to and following ECT in, 346
TRH administration effects on ECT-induced prolactin and, 444
urinary free cortisol in, 364
vasopressin baseline and TSH-blunting in, 341
Vietnam PTSD-related, sleep and dreams in, 42, 182
Desipramine
learned helplessness paradigm and, 882
Detoxification
dopaminergic function in alcoholics and, 193
Development
P50 sensory gating phenotype and, 289
Dexamethasone suppression test (DST)
conversion disorder relationship with depression and, 216
spot urinary free cortisol in depression and, 220
temperament in depression and, 364
Diazepam
learned helplessness paradigm and, 882
Dichotic listening tests
affective reactivity in schizophrenia and, 59
Dideoxy method

genes for $5HT_{1D\alpha}$ and $5HT_{1D\beta}$ receptors sequenced by, 5
Digital bandpass filtering
cocaine abuse and, 955
Dihydroxyphenylacetic acid (DOPAC)
CSF of neuroleptic-naive first-episode schizophrenics and, 911
Dim light therapy
partial sleep deprivation antidepressant effect and, 16
N,N-Dimethyltryptamine (DMT)
differential tolerance, 784
Distraction
enlarged prefrontal P300 in panic disorder and, 845
Distractor tones
enlarged prefrontal P300 in panic disorder and, 845
Divalproex
for mania, 278
Dizygotic twins
P50 sensory gating phenotype and, 289
DNA markers
chromosome 18, 679, 689
DOI
Ca^{2+} mobilization and, 1000
Dopamine
in *d*-amphetamine-induced euphoria, 26
children with ADHD and, 1032
CSF of neuroleptic-naive first-episode schizophrenics and, 911
D2 receptor, alcoholism and, 193
D2 receptor, in narcolepsy, 107
D2 receptor, clozapine withdrawal phenomena and, 135
D2 receptor gene, no association between alcoholism and multiple polymorphisms at, 419
homovanillic acid concentrations in catatonia and, 436
ovulatory cycle and, 1039
schizophrenia and, 986
and sensorimotor gating in boys with Tourette's syndrome and ADHD, 33
Dopamine β-hydroxylase
in schizophrenia vs. Alzheimer's disease cerebral cortex, 80-ed
Double dissociation
in schizophrenia, 80-ed
Dreams
in Vietnam PTSD and depression, 42
Drug abuse
significant variable in schizophrenia research and, 1053
Dynamic systems
depression and, 991
Dyslexia
male, corpus callosum morphology in, 769
Dysphoria
sleep and depression in PTSD and, 182
Dysthymia
polymorphonuclear elastase levels in, 357

Eating disorders
OCD and, 966
Ecstasy
adverse symptomatology and suicide associated with, 819
Educational level
alternation learning in OCD and, 733
Effect-size
in evaluating cumulated research, 65
Ehlers and Kupfer hypothesis
revisiting, 139
Elation
dietary selenium effect on mood in healthy men and, 121
Elderly
corticotropin-releasing hormone in Alzheimer's disease and, 311
symptom stability in chronic schizophrenia in, 92
Electric prestimuli
just above sensory threshold, in boys with Tourette's syndrome and ADHD, 33
Electric shock
behavioral animal model of PTSD and, 129
Electroconvulsive therapy (ECT)
collicular auditory potential and, 223
neuroleptic malignant syndrome improved by, CSF monamine metabolism in case of, 383-corr
prolactin induced by, 444
subjective memory complaints prior to and following, 346
Electroencephalogram (EEG)
amplitude, in Alzheimer-type dementia, 319
Ehlers and Kupfer hypothesis and, 139
menstrual cycle in women with and without late luteal phase disorder and, 720
power modifications, in OCD during olfactory stimulation, 326
quantitative, frequencies and relative neuroleptic affinities in schizophrenia, 986
sleep, in depressed adolescents, 400
Electromyography (EMG)
sleep and depression in PTSD and, 182
Endocrine systems
correlation between vasopression baseline and TSH-blunting in depression and, 341
β-Endorphins
autism and, 1023
Entropy
depression as dynamic disease and, 991
Epi-inositol
lithium–pilocarpine seizures in rats and, 829
Epidemiology Catchment Area survey
lifetime rates of suicide attempts in, 896
Epinephrine
platelet phosphoinositide signaling system in depression and, 697
Erythrocytes
dietary selenium effect on mood in healthy men and, 121
in hypertonic hemolysis, 11
sedimentation rate, polymorphonuclear elastase levels in depression and, 357
Escapable tail shock
enhanced retrieval of unpleasant memories and, 808

Estradiol
ovulatory cycle and, 1039
Euphoria
d-amphetamine-induced, 26
Event-related potentials (ERPs)
in alcoholics with and without alcohol psychosis, 873
closed head injury patients with mild cognitive complaints and, 305
cocaine abuse and, 955
direct nose-brain pathway for peptide effects and, 332
enlarged prefrontal P300 in panic disorder and, 845
and gender differences in gating of AEP in normal subjects, 51
menstrual cycle in women with and without late luteal phase disorder and, 720
in schizophrenia, 714
Evoked brain responses
and gender differences in gating of AEP in normal subjects, 51
Executive functions
in schizophrenia, 234
Experimental psychosis
psilocybin and, 1055
Extraversion
in depression, 364
Eyelid
human, light transmitted through, 22
Eyes open condition
schizophrenia and, 743
Eysenck Personality Questionnaire
temperament in depression and, 364

Facial electromyography
sleep and depression in PTSD and, 182
Family history
affective reactivity of, in schizophrenia, 59
dopaminergic function in alcoholics and, 193
and linkage analysis of families with bipolar illness and chromosome 18 markers, 679
root-mean-square error for quantifying smooth-pursuit eye tracking abnormalities in schizophrenia and, 448
Fatigue
fenfluramine challenge and, 761
Fear-provoking environment
behavioral animal model of PTSD and, 129
d-Fenfluramine
brain serotonin neuroendocrine function and, 100
D,L-Fenfluramine
challenge test, experience in nonpatient sample, 761
Figural stimuli
chronic fatigue syndrome and, 199
First-degree relatives
of Alzheimer's disease patients, olfactory identification deficits in, 375
18-Fluoro-*D*-deoxyglucose
brain metabolism altered by task performance and, 1013
Fluoxetine
trazodone addition to, 384-corr
Fluvoxamine
learned helplessness paradigm and, 882
Food cues
high-risk, salivation in women with bulimia nervosa and, 1009
Foods
dietary selenium effect on mood in healthy men and, 121
Fourier transformation
EEG amplitudes in Alzheimer-type dementia and, 319
Frontal lobe
lateralization, 389
MRI in OCD and, 739
tasks, in schizophrenia, 227
Fura-2/AM
Ca^{2+} mobilization and, 1000

γ-aminobutyric acid (GABA)
clozapine withdrawal phenomena and, 135
predicts acute response to divalproex in mania, 278
in schizophrenia vs. Alzheimer's disease cerebral cortex, 80-ed, 82
Gating
of auditory evoked potential, in normal subjects, 51
in boys with Tourette's syndrome and ADHD, 33
cocaine abuse and, 955
in schzophrenia, 821
Gay people
substance abuse among, 955
GE-25
CSF of neuroleptic-naive first-episode schizophrenics and, 911
Gender
alternation learning in OCD and, 733
circadian rhythms of plasma hormones in seasonal affective disorder and, 157
clozapine-treated schizophrenics and, 249
clozapine withdrawal and, 814
corpus callosm in dyslexic men and, 769
CSF corticotropin-releasing factor concentrations in anxiety disorders and, 703
depression in women treated with GnRH-a, 378
dietary selenium effect on mood in healthy men and, 121
electrophysiological findings during menstrual cycle in women with and without late luteal phase disorder, 720
fenfluramine challenge and, 761
in gating of auditory evoked potential in normal subjects, 51
hirsutism in women with psychiatric disorders and, 149
homovanillic acid at different phases of ovulatory cycle in healthy women, 1039
intranasal cocaine administration and, 147
and panic disorder during pregnancy and puerperium, 950
prolactin and cortisol responses to fenfluramine challenge and, 285
salivary reactivity in women with bulimia nervosa across treatment and, 1009
sleep disturbance and psychiatric disorders in young adults and, 411

TRH administration effects on ECT-induced prolactin and, 444
Generalized anxiety disorder (GAD)
autonomic characteristics of, 255
CSF corticotropin-releasing factor concentrations in, 703
Generator regions
premature disinhibition of P3 generation in schizophrenia and, 714
Genes
DA-D2 locus, alcoholism and, 193
D2 dopamine receptor, cocaine abuse and, 302
encoding $5HT_{1D\alpha}$ and $5HT_{1D\beta}$ receptors in panic disorder, 5
and linkage analysis of families with bipolar illness and chromosome 18 markers, 679
Genetic predisposition
cocaine abuse and, 302
hypertonic hemolysis in mood disorders and, 11
Genetics
P50 sensory gating phenotype and, 289
race, IQ and, 909-corr, 909-corr (response)
George N. Thompson Award for Distinguished Service 1996, 77, 154
Glutamic acid decarboxylase
in schizophrenia vs. Alzheimer's disease cerebral cortex, 80-ed
Glycine
therapy, of schizophrenia, 155-ed
GnRH-a
depression in women treated with, 378
Gold Medal Award 1996, 75, 152
Gonadorelin
depression in women and, 378
Gonadotropin-releasing hormone agonist
depression in women treated with, 378
Gonadotropins
in women with psychiatric disorders, 149
G proteins
platelet phosphoinositide signaling system in depression and, 697
Gray matter volume deficits
in schizophrenia, 234
Green light
transmission of through human eyelid, 22
Growth hormone (GH)
dopaminergic function in alcoholics and, 193
Ehlers and Kupfer hypothesis and, 139
serial therapeutic sleep deprivation and, 857
Gsα immunoreactivity
in mononuclear leukocytes in depression, 755
Gs protein
in mononuclear leukocytes in depression, 755
Guanine nucleotides
binding of, in depression, 755

Habituation
P50 sensory gating phenotype and, 289
Hallucinations
PTSD and, 839
Hallucinogen Rating Scale
N,N-dimethyltryptamine and, 784
Hallucinogens
N,N-dimethyltryptamine and, 784
psilocybin and, 1055
Hallucinosis
alcohol, 873
Hamilton Depression Rating Scale
light therapy after partial sleep deprivation and, 16
Headaches
fenfluramine challenge and, 761
post-lumbar-puncture, reduction of by use of 29-gauge spinal needle, 1058
Health maintenance organization (HMO)
sleep disturbance and psychiatric disorders in young adults and, 411
Heart rate
N,N-dimethyltryptamine and, 784
generalized anxiety disorder and, 255
nortriptyline effects on yohimbine-induced changes in, 385-corr
salivation in women with bulimia nervosa and, 1009
sleep and depression in PTSD and, 182
High
gender differences in intranasal cocaine administration and, 147
High-performance liquid chromatography
CSF of neuroleptic-naive first-episode schizophrenics and, 911
Hippocampal formation volume
in schizophrenia, 938
Hippocampus
atrophy, in Alzheimer's disease, 311
Hirsutism
in women with psychiatric disorders, 149
Histamine
schizophrenia and, 986
HLA antigens
in schizophrenia and mood disorders, 891
Homeostasis
clozapine withdrawal phenomena and, 135
serotonin-induced increases in platelet cytosolic calcium concentration and, 708
sleep, Ehlers and Kupfer hypothesis and, 139
Homovanillic acid (HVA)
ovulatory cycle in healthy women and, 1039
plasma concentrations, in catatonia, 436
Hormones
correlation between vasopression baseline and TSH-blunting in depression and, 341
Hostility
brain serotonin neuroendocrine function in, 100
dietary selenium effect on mood in healthy men and, 121
Human immunodeficiency virus 1 (HIV-1)-associated dementia complex
AZT for, 1065

Hydrolysis
platelet phosphoinositide signaling system in depression and, 697
5-Hydroxyindoleacetic acid (5-HIAA)
CSF of neuroleptic-naive first-episode schizophrenics and, 911
1-Hydroxytacrine
tetrahydroaminoacridine and, 796
25-Hydroxyvitamin D_3
winter seasonal affective disorder and, 865
Hypercholesterolemia
brain serotonin neuroendocrine function and, 100
Hypercortisolemia
in depression, 364
Hypersalivation
in schizophrenics on clozapine, 946
Hypersomnia
longitudinal epidemiological study of young adults and, 411
Hypertension
serotonin-induced increases in platelet cytosolic calcium concentration and, 708
Hyperthermia
in neuroleptic malignant syndrome, 207
Hypertonic hemolysis
in mood disorders, 11
Hypokinetic states
resembling catatonia, 436
Hypothalamic-pituitary-adrenal (HPA) axis
in Alzheimer's disease, 311, 976
conversion disorder relationship with depression and, 216
Ehlers and Kupfer hypothesis and, 139
spot urinary free cortisol in depression and, 220
temperament in depression and, 364
Hypothalamic–somatotrophic system
Ehlers and Kupfer hypothesis and, 139
Hypothalamus
correlation between vasopressin baseline and TSH-blunting in depression and, 341
thermoregulation in neuroleptic malignant syndrome and, 207
Hypothermic threat
thermoregulation in neuroleptic malignant syndrome and, 207

I^{123} IBZM SPET
dopamine D2 receptors in narcolepsy and, 107
Illumination intensity
light attenuation by human eyelid and, 22
Imipramine
Ca^{2+} mobilization and, 1000
platelet binding, seasonal patterns in, 430
Immunoactivation method
polymorphonuclear elastase levels in depression and, 357
Immunoblot analysis
β-adrenergic receptor-coupled Gs protein function in depression and, 755
Immunoglobulins
polymorphonuclear elastase levels in depression and, 357
Impulsivity
buspirone and, 371
Indalpine
learned helplessness paradigm and, 882
Indirect semantic associations
under psilocybin, 1055
Inertia
PTSD and, 839
Inescapable tail shock
enhanced retrieval of unpleasant memories and, 808
Infection
thermoregulation in neuroleptic malignant syndrome and, 207
Inflammation
polymorphonuclear elastase levels in depression and, 357
Infrequent target tones
enlarged prefrontal P300 in panic disorder and, 845
Inhibitory mechanisms
and gender differences in gating of AEP in normal subjects, 51
Insomnia
longitudinal epidemiological study of young adults and, 411
Integrated thermoeffector activity
thermoregulation in neuroleptic malignant syndrome and, 207
Intelligence quotient (IQ)
alternation learning in OCD and, 733
race, genetics and, 909-corr, 909-corr (response)
Internal capsule
MRI in OCD and, 739
Interstimulus intervals
premature disinhibition of P3 generation in schizophrenia and, 714
Intoxication
dopaminergic function in alcoholics and, 193
Intraclass correlations
symptom stability in chronic geriatric schizophrenia and, 92
Intranasal administration
of vasopressin, brain potential changes after, 332
Intravenous (IV) administration
of vasopressin, brain potential changes after, 332
Isoproterenol
β-adrenergic receptor-coupled Gs protein function in depression and, 755
Israeli combat veterans
with PTSD, serum T_3 in, 835

Ketanserin
Ca^{2+} mobilization and, 1000
Korsakoff syndrome
attentional processes and, 143

Large dense-core vesicles
CSF of neuroleptic-naive first-episode schizophrenics and, 911
Late luteal phase disorder

alcoholism risk and, 720
Latency
P3, electrophysiological findings during menstrual cycle in women with and without late luteal phase disorder, 720
P300, closed head injury patients with mild cognitive complaints and, 305
sleep, in depressed adolescents, 400
sleep, depression in PTSD and, 182
sleep, tetrahydroaminoacridine and, 796
sleep, in Vietnam PTSD and depression, 42
Lateralization
functional, of prefrontal cortex, 389
Letter Matching paradigm
event-related potentials in alcoholics and, 873
Ligand binding
platelet, seasonal patterns in, 430
Light attenuation
by human eyelid, 22
Light therapy
during sleep, 22
seasonal affective disorder and, 157
stabilizes antidepressant effect of partial sleep deprivation, 16
winter seasonal affective disorder and, 865
Lightheadedness
fenfluramine challenge and, 761
Limbic cortex
cingulate gyrus in depression and, 1044
Limbic system
in multiple sclerosis, 970
Linkage analysis
of chromosome 18 DNA markers in multiplex pedigrees with manic depression, 689
of families with bipolar illness and chromosome 18 markers, 679
Lipids
brain serotonin neuroendocrine function and, 100
Listening task
children with ADHD and, 1032
Lithium
for mania, 278
Lithium–pilocarpine seizures
myo- and *epi* inositol effects on, 829
Locomotor behavior
autism and, 1023
Locus coeruleus
pigmented neurons, in suicide victims, 112
LOD score method
linkage analysis of chromosome 18 markers in multiplex pedigrees with manic depression and, 689
linkage analysis of families with bipolar illness and, 679
Longitudinal epidemiological study
sleep disturbance and psychiatric disorders in young adults and, 411
Longitudinal visual evoked potentials
in Alzheimer's disease, 455
Lorazepam
learned helplessness paradigm and, 882

Magnetic resonance imaging (MRI)
of corpus callosum morphology in dyslexic men, 769
of hippocampal formation volume in schizophrenia, 938
in multiple sclerosis, 970
in obsessive-compulsive disorder, 739
in schizophrenia, 234
Major affective disorder
clomipramine effects on time course of slow-wave sleep and, 171
Major depression
longitudinal epidemiological study of young adults and, 411
memory impairment in, 750
partial sleep deprivation in, light therapy stabilizes, 16
platelet phosphoinositide signaling system in, 697
polymorphonuclear elastase levels in, 357
prepubertal, corticotropin-releasing hormone challenge in, 267
recall performance in correlated with plasma cortisol, 750
seasonal patterns in platelet ligand binding and, 430
sleep and depression in PTSD and, 182
vasopressin baseline and TSH-blunting in, 341
Vietnam PTSD-related, sleep and dreams in, 42
Mania
acute, in adolescents, phenomenology and comorbidity of, 458
HLA antigens and, 891
hypertonic hemolysis in, 11
plasma GABA predicts acute response to divalproex in, 278
prolactin and cortisol responses to fenfluramine challenge in, 285
PTSD and, 839
Manic depressive disorder
linkage analysis of chromosome 18 DNA markers in multiplex pedigrees with, 689
Maprotiline
learned helplessness paradigm and, 882
Mathematical modeling
depression as dynamic disease and, 991
MDMA
diverse symptomatology and suicide associated with, 819
Melancholia
childhood, 267
polymorphonuclear elastase levels in depression and, 357
Melatonin
winter seasonal affective disorder and, 865
Membrane proteins
seasonal patterns in platelet ligand binding are related to, 430
Memories
unpleasant, enhanced retrieval of, 808
Memory
in acute depression, 750
in schizophrenia, 241, 714, 929
subjective complaints, following ECT, 346

Memory bias phenomenon
in depression, 808
Menstrual cycle
homovanillic acid and, 1039
Mentalis electromyography
sleep and depression in PTSD and, 182
Messenger RNA (mRNA)
in schizophrenia vs. Alzheimer's disease cerebral cortex, 80-ed
Mesulergine
Ca^{2+} mobilization and, 1000
Meta-analysis
in evaluating cumulated research, 65
Metabolic research unit
dietary selenium effects on mood in healthy men living in, 121
Metabolism
brain, 231-ed, 1013
Mianserin
Ca^{2+} mobilization and, 1000
Mice
behavioral animal model of PTSD and, 129
Microsatellite markers
polymorphic, linkage analysis of chromosome 18 markers in multiplex pedigrees with manic depression and, 689
Mixture analysis
root-mean-square error for quantifying smooth-pursuit eye tracking abnormalities in schizophrenia and, 448
Monoamine metabolites
CSF, atmospheric pressure and, 299
Monoamines
CSF, in a case of neuroleptic malignant syndrome improved by ECT, 383-corr
Mononuclear leukocytes
in depression, 755
Monozygotic twins
P50 sensory gating phenotype and, 289
Mood
dietary selenium in healthy men and, 121
in chronic fatigue syndrome, 199
Mood disorders
HLA antigens and, 891
hypertonic hemolysis in, 11
Morning
after partial sleep deprivation, light therapy in, 16
Motor impairment
chronic fatigue syndrome and, 199
in schizophrenia, 234, 241
Movement disorders
depression and, 803
pallidal inhibition in, 33
Multichannel electroencephalogram
depression as dynamic disease and, 991
Multigenerational pedigree
ADHD in, 906
Multi-infarct dementia
neuropeptide deficits and, 79-ed, 82
Multiple sclerosis
limbic symptoms and depression in, 970
Multiple system atrophy
depression and, 803
Multiplex pedigrees
with manic depression, chromosome 18 DNA markers in, 689
Multivariate logistic regression analysis
lifetime rates of suicide attempts in, 896
Multivariate surrogate date
depression as dynamic disease and, 991
Myo-inositol
lithium–pilocarpine seizures in rats and, 829
Myoclonus
clozapine-induced, 367
Myotoxicity
direct, thermoregulation in neuroleptic malignant syndrome and, 207

N100
and gender differences in gating of AEP in normal subjects, 51
Naltrexone
for autism, 1023
Narcolepsy
dopamine D2 receptor in, 107
Negative affect
chronic fatigue syndrome and, 199
Negative symptoms
in schizophrenia, 92, 213, 451, 816
Negative task
affective reactivity in schizophrenia and, 59
Neural activity
moving picture of, 231-ed
Neuroendocrinology
buspirone in bulimia nervosa and, 371
dopaminergic function in alcoholics and, 193
Neuroleptic malignant syndrome
catatonia and, 1-ed
improved by ECT, CSF monoamine metabolism in case of, 383-corr
thermoregulatory dysfunction in, 207
Neuroleptics
atypical and typical, withdrawal from, 135
continous performance test measures in schizophrenia and, 902
for paraphrenia, 341
prolactin levels and, 900
for schizophrenia, 227, 249, 986
Neurological immaturity
in boys with Tourette's syndrome and ADHD, 33
Neurons
locus coeruleus, in suicide victims, 112
Neuropeptides
in schizophrenia vs. Alzheimer's disease cortex, 79-ed, 82
Neuropeptide Y (NPY)
in schizophrenia vs. Alzheimer's disease cerebral cortex, 79-ed, 82

Neurophysin
correlation between vasopression baseline and TSH-blunting in depression and, 341
Neuropsychology
menstrual cycle in women with and without late luteal phase disorder and, 720
schizophrenia and, 227, 234, 241
semantic memory in schizophrenia and, 929
trichotillomania and, 747
Neurosis
in depression, 364
Neurosurgery
MRI in OCD and, 739
Neurotransmitters
children with ADHD and, 1032
pigmented locus coeruleus neurons in suicide victims and, 112
Neutral task
affective reactivity in schizophrenia and, 59
News and Notes, 73, 230, 387
Night
clomipramine effects on time course of slow-wave sleep and, 171
hypersalivation by schizophrenics on clozapine during, 946
Nigrostriatal function
homovanillic acid concentrations in catatonia and, 436
NMDA receptor
glycine in schizophrenia and, 213
Nonparametric methods
linkage analysis of multiplex pedigrees with manic depression and, 689
Non-rapid eye movement (NREM) sleep
tetrahydroaminoacridine and, 796
Noradrenergic system
in suicide victims, 112
Norepinephrine
CSF of neuroleptic-naive first-episode schizophrenics and, 911
elevated CSF corticotropin-releasing factor in Tourette's syndrome and, 776
enlarged prefrontal P300 in panic disorder and, 845
in schizophrenia vs. Alzheimer's disease cerebral cortex, 80-ed
Norepinephrine uptake blockers
learned helplessness paradigm and, 882
Nortriptyline
Ca^{2+} mobilization and, 1000
yohimbine-induced changes in heart rate variability and, 385-corr
Nose-brain pathway
direct, for peptide effects, 332
Nucleotides
in panic disorder, 5

Obsessive-compulsive disorder (OCD)
alternation learning in, 733
anorexia nervosa and, 966
CSF corticotropin-releasing factor in, 703
CSF corticotropin-releasing factor in Tourette's syndrome and, 776
EEG power modifications in during olfactory stimulation, 326
magnetic resonance imaging in, 739
seasonal effects in prolactin response to *m*CPP challenge in, 982
Obsessive-compulsive spectrum disorder
trichotillomania and, 747
^{3}H8-OH-DPAT, autoradiography with, in schizophrenia, 919
Olfactory identification deficits
in relatives of Alzheimer's disease patients, 375
Olfactory stimulation
EEG power modifications in OCD during, 326
Open-label trial
glycine in schizophrenia and, 213
Opiate antagonist
for autism, 1023
Orbitofrontal cortex
dysfunction, alternation learning in OCD and, 733
Organic brain disorders
alcoholism-associated, 143
Orienting response
enlarged prefrontal P300 in panic disorder and, 845
Overdrive
cholinergic, 135
Ovulatory cycle
homovanillic acid and, 1039
O wave
alcoholism-associated organic brain disorders and, 143

P3
direct nose-brain pathway for peptide effects and, 332
electrophysiological findings during menstrual cycle in women with and without late luteal phase disorder, 720
P50
and gender differences in gating of AEP in normal subjects, 51
sensory gating phenotype, developmental and genetic influences on, 289
P180
and gender differences in gating of AEP in normal subjects, 51
P300
closed head injury patients with mild cognitive complaints and, 305
enlarged prefrontal, stimulus change in panic disorder and, 845
event-related potentials in alcoholics and, 873
premature disinhibition of generation, in schizophrenia, 714
in schizophrenia, 743
Pallidal inhibition
in tic and movement disorders, 33
Panic disorder
CSF corticotropin-releasing factor in, 703
during pregnancy and puerperium, 950
enlarged frontal P300 and, 845
genes encoding $5HT_{1D\alpha}$ and $5HT_{1D\beta}$ in, 5

Panic response
to pentagastrin and CCK, 464-corr
Paranoia
HLA antigens and, 891
Paraphrenia
vasopressin baseline and TSH-blunting in, 341
Parkinson's disease
idiopathic, depression and, 803
Paroxetine
akathisia induced by, 910-corr
Partial sleep deprivation, bright light therapy stabilizes
antidepressant effect of, 16
Passive avoidance training
enhanced retrieval of unpleasant memories and, 808
Paternal alcoholism
dopaminergic function in alcoholics and, 193
Pentagastrin
TRH as comparator for panicogenic effects of pentagastrin and, 464-corr
Peptides
CSF, of neuroleptic-naive first-episode schizophrenics and, 911
direct nose-brain pathway and, 332
Pericentromeric region
chromosome 18, linkage analysis of multiplex pedigrees with manic depression and, 689
Period-amplitude analysis
and delta activity during sleep and negative symptoms in schizophrenia, 451
Peripheral heat production
excessive, thermoregulation in neuroleptic malignant syndrome and, 207
Perseveration
alternation learning in OCD and, 733
Personality
cocaine abuse and, 302
Phencyclidine (PCP)
glycine in schizophrenia and, 213
Phenotype
P50 sensory gating, developmental and genetic influences on, 289
Phosphatidylinositol
abnormal signaling in bipolar disorder and, 461-corr, 462-corr (response)
Phospholipase C
platelet phosphoinositide signaling system in depression and, 697
Phototherapy
light attenuation by human eyelid and, 22
seasonal affective disorder and, 157
stabilizes antidepressant effect of partial sleep deprivation, 16
winter seasonal affective disorder and, 865
Pimozide
d-amphetamine and, 26
Platelets
cytosolic calcium concentration, serotonin-induced increases in, 708
ligand binding, seasonal patterns in, 430
phosphoinositide signaling system and, 697
Polyclonal antibodies
β-adrenergic receptor-coupled Gs protein function in depression and, 755
Polymerase chain reaction (PCR)
genes for $5HT_{1D\alpha}$ and $5HT_{1D\beta}$ receptors amplified by, 5
Polymorphisms
at DRD2 locus, no association between alcoholism and, 419
and linkage analysis of families with bipolar illness and chromosome 18 markers, 679
and linkage analysis of multiplex pedigrees with manic depression, 689
Polysomnography
and delta activity during sleep and negative symptoms in schizophrenia, 451
Positive and Negative Affect Schedule
chronic fatigue syndrome and, 199
Positive and Negative Syndrome Scale
glycine in schizophrenia and, 213
symptom stability in chronic geriatric schizophrenia and, 92
Positive symptoms
in schizophrenia, 59, 92, 839
Positron emission tomography (PET)
brain metabolism altered by task performance and, 1013
cingulate gyrus in depression and, 1044
dopamine D2 receptors in narcolepsy and, 107
frontal lobe lateralization and, 389
Postictal role
TRH administration effects on ECT-induced prolactin and, 444
Postintoxication
dopaminergic function in alcoholics and, 193
Posttraumatic stress disorder (PTSD)
behavioral animal model of, 129
enhanced retrieval of unpleasant memories and, 808
Israeli combat veterans with, serum T_3 in, 835
positive signs of psychosis in, 839
Prefrontal cortex
frontal lobe lateralization and, 389
ventral, in schizophrenia, 919
Prefrontal–limbic pathways
enlarged prefrontal P300 in panic disorder and, 845
Pregnancy
panic disorder during, 950
Prepubertal major depression
corticotropin-releasing hormone challenge in, 267
Prepulse inhibition
and sensorimotor gating in boys with Tourette's syndrome and ADHD, 33
Procedural learning
in schizophrenia, 241
Profile of Mood States—Bipolar Form
dietary selenium effect on mood in healthy men and, 121
Progesterone

ovulatory cycle and, 1039
Prolactin (PRL)
*m*CPP in OCD and, 982
brain serotonin neuroendocrine function and, 100
circadian rhythms of, in seasonal affective disorder, 157
N,N-dimethyltryptamine and, 784
ECT-induced, 444
fenfluramine challenge and, 761
fenfluramine in mania and, 285
after long-term neuroleptic treatment, 900
schizophrenia and, 249
serial therapeutic sleep deprivation and, 857
Proteolytic processing
CSF, of neuroleptic-naive first-episode schizophrenics and, 911
Psilocybin
increased activation of indirect semantic associations under, 1055
Psychedelic subjective effects
N,N-dimethyltryptamine and, 784
Psychiatric disorders
longitudinal epidemiological study of young adults and, 411
Psycholinguistics
psilocybin and, 1055
Psychosis
alcohol, 873
clozapine withdrawal phenomena and, 135
depression and, 364
hypertonic hemolysis in, 11
Psychosurgery
MRI in OCD and, 739
Puerperium
panic disorder during, 950
Pulse-loading protocol
clomipramine effects on time course of slow-wave sleep and, 171

Race
IQ, and genetics, 909-corr, 909-corr (response)
Rapid eye movement (REM) sleep
in depressed adolescents, 400
tetrahydroaminoacridine and, 796
in Vietnam PTSD and depression, 42, 182
Rats
ECT effects on collicular auditory potential and, 223
enhanced retrieval of unpleasant memories and, 808
learned helplessness paradigm in, 882
lithium–pilocarpine seizures in, 829
Recall
dream, in Vietnam PTSD and depression, 42
Recall performance
correlated with plasma cortisol in acute depression, 750
Receptors
β-adrenergic, in depression, 755
dopamine D2, ^{123}I IBZM SPET and, 107
dopamine D2, alcoholism and, 193
dopamine D2, clozapine withdrawal phenomena and, 135
dopamine D2, cocaine abuse and, 302
5-HT_{1A}, in schizophrenia, 919
5-$HT_{1D\alpha}$ and 5-$HT_{1D\beta}$, in panic disorder, 5
5-HT_{2C}, CHO cells transfected with, 1000
neuroleptic, in schizophrenia, 986
NMDA, glycine in schizophrenia and, 213
platelet phosphoinositide signaling system in depression and, 697
serotonin, N,N-dimethyltryptamine and, 784
Recovery sleep
after partial sleep deprivation, depression relapse after, 16
Red light
transmission of through human eyelid, 22
Red-pass filter
eyelid as, 22
Rehabilitation
dopaminergic function in alcoholics and, 193
Relapse
depression, 16, 991
dopaminergic function in alcoholics and, 193
Relaxation
in generalized anxiety disorder, 255
Repetitive sensory inputs
gating of, 51
Reproducibility
of phenomenon, evaluating, 65
Research reviews
evaluating, 65
Resting
in generalized anxiety disorder, 255
Retrograde amnesia
following ECT, 346
Review process
evaluating cumulated research and, 65
Reward processes
dopamine systems and, 193
Right medial geniculate body
brain metabolism altered by task performance and, 1013
Right-ear advantage
affective reactivity in schizophrenia and, 59
Ring chromosome
and linkage analysis of families with bipolar illness and chromosome 18 markers, 679
Risperidone
clozapine withdrawal phenomena and, 135
for neuroleptic-naive first-episode schizophrenia, 296
Ritanserin
Ca^{2+} mobilization and, 1000
Rotary pursuit task
in schizophrenia, 241

S1 click stimulus
and gender differences in gating of AEP in normal subjects, 51
S2 click stimulus
and gender differences in gating of AEP in normal subjects, 51
Saliva

in schizophrenics on clozapine, 946
in women with bulimia nervosa, 1009
Schizophrenia
affective reactivity of cognitive functioning and family history in, 59
Alzheimer's disease cerebral cortex and, 79-ed, 82
cerebral blood flow in, 80-ed
and clozapine-induced myoclonus and generalized seizures, 367
clozapine for, 249, 946
clozapine withdrawal in, 814
cocaine use and, 816
cognitive function in, 234
continuous performance test measures in, 902
corticostriatal dysfunction in, 241
dopamine in, 986
double dissociation in, 80-ed
drug abuse and, 1053
event-related potentials in, 714
executive functions in, 234
eyes open reflect remission of, 743
frontal lobe tasks in, 227
gating in, 51
geriatric chronic, symptom stability in, 92
glycine therapy for, 155-ed, 213
gray matter volume deficits in, 234
hippocampal formation volume in, 938
histamine in, 986
HLA antigens and, 891
homovanillic acid concentrations in catatonia and, 436
5-HT_{1A} receptors in ventral prefrontal cortex in, 919
memory in, 234, 241
motor impairment in, 234
motor skills in, 241
MRI in, 234
negative symptoms in, 92, 213, 451, 816
neuroleptic-naive patients, 296
neuroleptics for, 227, 902
neuropeptide effects in, 79-ed
neuropsychological deficits in, 227, 234, 241
P300 in, 714, 743
positive symptoms in, 92, 839
procedural learning in, 241
prolactin in, 249
PTSD and, 839
quantitative EEG frequencies in, 986
risperidone for, 296
root-mean-square error for quantifying smooth-pursuit eye tracking abnormalities in, 448
rotary pursuit task in, 241
salivary flow-rate and composition in patients on clozapine for, 946
schizophrenia syndromes and, 227
semantic memory in, 929
serotonin-induced increases in platelet cytosolic calcium concentration and, 708
structure/function relationships in, 234
Seasonal affective disorder (SAD)
circadian profiles of cortisol, prolactin, and thyrotropin in, 157
phototherapy for, 865
Seasonality
in platelet ligand binding, 430
prolactin response to *m*CPP challenge in OCD and, 982
Secretogranin II
CSF of neuroleptic-naive first-episode schizophrenics and, 911
Secretoneurin
CSF of neuroleptic-naive first-episode schizophrenics and, 911
Segregation analysis
linkage analysis of families with bipolar illness and, 679
Seizures
ECT effects on collicular auditory potential and, 223
generalized, clozapine-induced, 367
lithium–pilocarpine, 829
TRH administration effects on ECT-induced prolactin and, 444
Selenium
dietary, effects of on mood in healthy men, 121
Self-reporting
of memory complaints prior to and following ECT, 346
salivation in women with bulimia nervosa and, 1009
Semantic memory
in schizophrenia, 929
Semantic priming
correlation of with sensory gating in schizophrenia, 821
psilocybin and, 1055
Sensorimotor control tasks
frontal lobe lateralization and, 389
Sensory gating
in boys with Tourette's syndrome and ADHD, 33
cocaine abuse and, 955
in schizophrenia, semantic priming effects and, 821
Sequencing
of genes for $5HT_{1D\alpha}$ and $5HT_{1D\beta}$ receptors in panic disorder, 5
Serial therapeutic sleep deprivation
serum hormone levels and, 857
Serotonin (5-HT)
N,N-dimethyltryptamine and, 784
fenfluramine challenge and, 761
neuroendocrine function, cholesterol-lowering drugs and, 100
in panic disorder, 5
platelet cytosolic calcium concentration and, 708
prolactin and cortisol responses to fenfluramine challenge and, 285
prolactin response to *m*CPP challenge in OCD and, 982
receptors, antidepressant effects on Ca^{2+} mobilization in CHO cells transfected with, 1000
receptors, in ventral prefrontal cortex in schizophrenia, 919
seasonal patterns in platelet ligand binding and, 430
Serotonin (5-HT) syndrome

with trazodone addition to fluoxetine, 384-corr
Serotonin (5-HT) uptake blockers
learned helplessness paradigm and, 882
Set point
inappropriate, thermoregulation in neuroleptic malignant syndrome and, 207
Setting
on timescale, of dreams of PTSD/depressed patients, 42
Shock control
enhanced retrieval of unpleasant memories and, 808
Shock sequence
enhanced retrieval of unpleasant memories and, 808
Short tandem repeat polymorphisms (STRP)
at DRD2 locus, no association between alcoholism and, 419
and linkage analysis of families with bipolar illness and chromosome 18 markers, 679
Short-term memory
in schizophrenia, 234
Signal transduction
platelet phosphoinositide signaling system in depression and, 697
Single photon emission computed tomography (SPECT)
cingulate gyrus in depression and, 1044
dopamine D2 receptors in narcolepsy and, 107
in generalized social phobia, 825
in multiple sclerosis, 970
Situational reminders
behavioral animal model of PTSD and, 129
Sleep
all-night, negative symptoms in schizophrenia and, 451
in depressed adolecents, 400
disturbance, longitudinal epidemiological study of young adults and, 411
homeostasis, Ehlers and Kupfer hypothesis and, 139
light attenuation by human eyelid and, 22
onset abnormalities, in depressed adolescents, 400
partial deprivation, bright light therapy stabilizes antidepressant effect of, 16
serial therapeutic deprivation, serum hormone levels and, 857
tetrahydroaminoacridine and, 796
Sleepiness
winter seasonal affective disorder and, 865
Slow-wave sleep
clomipramine effects on time course of in depression, 171
in Vietnam PTSD and depression, 182
Smooth-pursuit eye tracking abnormalities
in schizophrenia, 448
Social behavior
autism and, 1023
Social phobia
generalized, SPECT in, 825
Society Awards, 75, 152
Society of Biological Psychiatry Executive Council Meeting May 17, 1995, 753
Sociophysiology
psychiatry needs a basic science titled, 833-ed
Sodium chloride
in hypertonic hemolysis, 11
Sodium fluoride
platelet phosphoinositide signaling system in depression and, 697
Somatostatin
in schizophrenia vs. Alzheimer's disease cerebral cortex, 82
Spatial Delayed Response Task
frontal lobe lateralization and, 389
Spectral analysis
clomipramine effects on time course of slow-wave sleep and, 171
Ehlers and Kupfer hypothesis and, 139
in generalized anxiety disorder, 255
Spinal needle
29-gauge, in reduction of post-lumbar-puncture headaches, 1058
S-process
clomipramine effects on time course of slow-wave sleep and, 171
Squire Subjective Memory Questionnaire
and subjective memory complaints prior to and following ECT, 346
Startle reflex
behavioral animal model of PTSD and, 129
State marker
schizophrenia and, 743
Statistical parametric mapping analysis
brain metabolism altered by task performance and, 1013
Statistical procedures
in evaluating cumulated research, 65
Stimulants
children with ADHD and, 1032
dopamine role in subjective effects of, 26
^{123}I IBZM SPET and, 107
Stress
elevated CSF corticotropin-releasing factor in Tourette's syndrome and, 776
in prepubertal major depressive disorder, 267
Striatum
^{123}I IBZM SPET and, 107
Structured Clinical Interview for DSM-III-R
sleep and depression in PTSD and, 182
Structure/function relationships
in schizophrenia, 234
Substance abuse
N,N-dimethyltryptamine and, 784
and reduced auditory P50 amplitude and suppression compared to alcoholics, 955
serotonin-induced increases in platelet cytosolic calcium concentration and, 708
Substance P
CSF of neuroleptic-naive first-episode schizophrenics and, 911
Substance withdrawal syndrome
clozapine and, 135

Subtyping
affective reactivity in schizophrenia and, 59
symptom stability in chronic geriatric schizophrenia and, 92
Suicide attempts
lifetime rates of, 896
Suicides
and CSF monoamine metabolites and atmospheric pressure, 299
locus coeruleus pigmented neurons in, 112
MDMA use and, 819
Supersensitivity psychosis
clozapine withdrawal and, 814
Supplementation
selenium, 121
Suppression
and gender differences in gating of AEP in normal subjects, 51
Supraorbital nerve electrical stimulation
and sensorimotor gating in boys with Tourette's syndrome and ADHD, 33
Symmetry/order symptoms
in anorexia nervosa, 966
Symptom stability
in geriatric chronic schizophrenia, 92

Tacrine
tetrahydroaminoacridine and, 796
Tail shock
enhanced retrieval of unpleasant memories and, 808
Taiwanese populations
no association between alcoholism and multiple polymorphisms at DRD2 in, 419
Tardive dystonia
clozapine for, 1064-corr
Temperament
in depression, 364
Temperature
thermoregulation in neuroleptic malignant syndrome and, 207
Temporal lobe
atrophy, in Alzheimer's disease, 311
EEG power modifications, in OCD during olfactory stimulation, 326
Terfenadine
chronic fatigue syndrome and, 199
Tetrahydroaminoacridine
sleep in healthy subjects and, 796
Thalamus
brain metabolism altered by task performance and, 1013
Thermoregulation
in neuroleptic malignant syndrome, 207
Thought disorders
in PTSD, 839
in schizophrenia, 59
Three-dimensional reconstruction
pigmented locus coeruleus neurons in suicide victims and, 112
Thrombin
platelet phosphoinositide signaling system in depression and, 697
Thyroid hormones
serial therapeutic sleep deprivation and, 857
Thyrotropin (TSH)
blunting, in depression, 341
circadian rhythms of, in seasonal affective disorder, 157
serial therapeutic sleep deprivation and, 857
Thyrotropin-releasing hormone (TRH)
administration effects, on ECT-induced prolactin, 444
as comparator for panicogenic effects of pentagastrin and CCK, 464
test, correlation between vasopression baseline and TSH-blunting in depression and, 341
Tone recognition task
brain metabolism patterns sensitive to attentional effort associated with, 1013
Total sleep time
in Vietnam PTSD and depression, 42
Tourette's syndrome
and ADHD, in boys, 33
Trazodone
addition, to fluoxetine, 384-corr
Trichotillomania neuropsychology of, 747
Tricyclic antidepressants
learned helplessness paradigm and, 882
Tridimensional Personality Questionnaire
temperament in depression, 364
Triglycerides
brain serotonin neuroendocrine function and, 100
Triiodothyronine (T_3)
serum, in Israeli combat veterans with PTSD, 835
Tryptophan
brain serotonin neuroendocrine function and, 100
Twins
P50 sensory gating phenotype and, 289
Two-process model
clomipramine effects on time course of slow-wave sleep and, 171

Unipolar depression
Gsα immunoreactivity protein in, 755
Gs protein in, 755
lifetime rates of suicide attempts in, 896
seasonal patterns in platelet ligand binding and, 430
United States
dietary selenium effect on mood in healthy men and, 121
Urinary free cortisol
in depression, 220, 364

Vagus nerve
cardiac, in generalized anxiety disorder, 255
Valproic acid
mania and, 278
Vasoactive intestinal peptide (VIP)
in schizophrenia vs. Alzheimer's disease cerebral cortex, 79-ed, 82
Vasopressin

baseline, in depression, 341
nose-brain pathway and, 332
Verbal recall task
children with ADHD and, 1032
Verbal stimuli
chronic fatigue syndrome and, 199
Visual evoked potentials
longitudinal, in Alzheimer's disease, 455
Visual task
premature disinhibition of P3 generation in schizophrenia and, 714
Visual threshold response
light attenuation by human eyelid and, 22

Wisconsin Card Sorting Test
alternation learning in OCD and, 733
frontal lobe lateralization and, 389
Withdrawal
clozapine, 814
event-related potentials in alcoholics and, 873
Word associations
psilocybin and, 1055
Working memory
premature disinhibition of P3 generation in schizophrenia and, 714
Worry
in generalized anxiety disorder, 255

Yale–Brown Obsessive Compulsive Scale
anorexia nervosa and, 966
Yohimbine
heart rate variability changes induced by nortriptyline effects on, 385-corr

Zidovudine (AZT)
in HIV-1-associated dementia complex, 1065-corr
Ziskind–Somerfeld Research Award 1996, 76, 153